

SRI LANKA STANDARD 719 : 1985

U D C 621 . 798 . 14 : 664 . 858

**SPECIFICATION FOR
GLASS JAM JARS**

SRI LANKA STANDARDS INSTITUTION

SPECIFICATION FOR GLASS JAM JARS

SLS 719:1985

Gr. 8

Copyright Reserved

SRI LANKA STANDARDS INSTITUTION

53, Dharmapala Mawatha,

Colombo 3,

Sri Lanka.

SRI LANKA STANDARD
SPECIFICATION FOR GLASS JAM JARS

FOREWORD

This Sri Lanka Standard was authorized for adoption and publication by the Council of the Sri Lanka Standards Institution on 1985-11-20, after the draft, finalized by the Drafting Committee on Glass Products had been approved by the Chemicals Divisional Committee.

Jam jars are intended to be filled with 450 g of jam, the density of which should lie in the range of 1.30 g/ml to 1.40 g/ml.

All standard values in this specification are given in SI units.

For the purpose of deciding whether a particular requirement of this specification is complied with, the final value, observed or calculated, expressing the result of a test or analysis shall be rounded off in accordance with CS 102. The number of significant places retained in the rounded off value shall be the same as that of the specified value in this specification.

1 SCOPE

This specification prescribes the requirements and methods of sampling and test for glass jam jars.

2 REFERENCES

- CS 102 Presentation of numerical values
- CS 124 Test sieves
- SLS 428 Random sampling methods
- SLS 601 Glass container finishes
 - Part 3 Omnia finishes
 - Part 4 Lug finishes