

SLS 921: 1991

Sri Lanka Standard

SPECIFICATION FOR VITREOUS PEDESTAL BIDETS

SRI LANKA STANDARDS INSTITUTION.

SPECIFICATION FOR VITREOUS PEDESTAL BIDETS

FOREWORD

This standard was authorized for adoption and publication as a Sri Lanka Standard by the Council of the Sri Lanka Standards Institution on 9/10/02, after the draft, finalised by the Drafting committee on Sanitaryware, had been approved by the Civil Engineering Divisional Committee.

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or an observation, shall be rounded off in accordance with CS 102. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

In the preparation of this standard the assistance derived from related publications of the British Standards Institution and the Bureau of Indian Standards is gratefully acknowledged.

1 SCOPE

This specification covers the requirements for the materials, size, shape, types, dimensions, and construction of vitreous pedestal bidets type A and type B.

2 REFERENCES

- CS 102 - Presentation of numerical values
- SLS 229 - Sanitary appliances (Vitreous china)
- SLS 428 - Random sampling methods
- IS 2556 - Vitreous sanitary appliances (Vitreous china), Part 9 - Specific requirements of bidets (Second revision)

BS 5505 - Bidets

3. TYPES

The bidets shall be made in the following two types.

- Type A Bidet with bottom spray.
- Type B Bidet with single hole over rim supply.

NOTE:- Since the spray may be submerged in type A bidets if the water gets blocked, this could give rise to a special risk of the water supply by back siphonage. This could be avoided by having a separate tank to supply the bidets.