

**SRI LANKA STANDARD 1181: 2019**  
**(ISO 13006: 2018)**  
**UDC 691.4**

**SPECIFICATION FOR**  
**CERAMIC TILES**  
**(Third Revision)**

**SRI LANKA STANDARDS INSTITUTION**

**Sri Lanka Standard  
SPECIFICATION FOR CERAMIC TILES  
(Third Revision)**

**SLS 1181: 2019  
(ISO 13006: 2018)**

**Gr. U**

*Copyright Reserved*  
**SRI LANKA STANDARDS INSTITUTION  
No. 17, Victoria Place,  
Elvitigala Mawatha,  
Colombo 08.  
SRI LANKA**

**Sri Lanka Standard**  
**SPECIFICATION FOR CERAMIC TILES**  
**(Third Revision)**

**NATIONAL FOREWORD**

This standard was approved by the Sectoral Committee on Building and Construction Materials and was authorized for adoption and publication as a Sri Lanka Standard by the Council of the Sri Lanka Standards Institution on 2019-08-07.

This Sri Lanka Standard is identical with **ISO 13006 : 2018** published by the International Organization for Standardization (**ISO**).

This is the third revision of Sri Lanka Standard **SLS 1181:2013** Specification for Ceramic Tiles and it will be renamed as **SLS 1181: 2019** Specification for Ceramic Tiles. It introduces vacuum method for determination of water absorption.

**TERMINOLOGY AND CONVENTIONS**

The text of the International Standard has been accepted as suitable for publication as a Sri Lanka Standard. However, certain terminology and conventions are not identical with those used in Sri Lanka Standards.

Attention is therefore drawn to the following:

- a) Wherever the “International Standard” appear referring to this standard they should be interpreted as “Sri Lanka Standard”.
- b) Wherever page numbers are quoted, they are “**ISO**” page numbers.
- c) Wherever ISO 13006 is quoted, it should be read as SLS 1181.
- d) Wherever ISO 10545 is quoted, it should be read as SLS ISO 10545.
- e) The coma has been used throughout as a decimal marker. In Sri Lanka Standards it is the current practice to use a full point on the base line as the decimal marker.

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test method or observation shall be rounded off in accordance with **SLS 102**. The number of significant places retained in the rounded off value shall be the same as that of the specified value in this standard.

INTERNATIONAL  
STANDARD

SLS 1181: 2019

**ISO**  
**13006**

Third edition  
2018-09

---

---

**Ceramic tiles — Definitions,  
classification, characteristics and  
marking**

*Carreaux et dalles céramiques — Définitions, classification,  
caractéristiques et marquage*



Reference number  
ISO 13006:2018(E)

© ISO 2018

# Contents

	Page
Foreword .....	iv
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>2</b>
<b>4 Classification</b> .....	<b>4</b>
4.1 Basis of classification .....	4
4.2 Methods of manufacture .....	4
4.3 Water absorption according to group .....	4
4.3.1 General .....	4
4.3.2 Subdivision of the three groups .....	4
<b>5 Characteristics</b> .....	<b>5</b>
<b>6 Sampling and basis for acceptance</b> .....	<b>5</b>
<b>7 Requirements</b> .....	<b>5</b>
<b>8 Marking and specifications</b> .....	<b>5</b>
8.1 Marking .....	5
8.2 Product literature .....	6
8.3 Specifications .....	6
<b>9 Ordering</b> .....	<b>7</b>
<b>Annex A (normative) Extruded ceramic tiles with low water absorption <math>0,5 &lt; E_v \leq 3 \%</math></b>	
<b>Group AI<sub>b</sub></b> .....	<b>10</b>
<b>Annex B (normative) Extruded ceramic tiles <math>3 \% &lt; E_v \leq 6 \%</math> Group AII<sub>a</sub> — Subgroup (Part) 1</b> .....	<b>13</b>
<b>Annex C (normative) Extruded ceramic tiles <math>3 \% &lt; E_v \leq 6 \%</math> Group AII<sub>a</sub> — Subgroup (Part) 2</b> .....	<b>16</b>
<b>Annex D (normative) Extruded ceramic tiles <math>6 \% &lt; E_v \leq 10 \%</math> Group AII<sub>b</sub> — Subgroup (Part) 1</b> .....	<b>19</b>
<b>Annex E (normative) Extruded ceramic tiles <math>6 \% &lt; E_v \leq 10 \%</math> Group AII<sub>b</sub> — Subgroup (Part) 2</b> .....	<b>22</b>
<b>Annex F (normative) Extruded ceramic tiles <math>E_v &gt; 10 \%</math> Group AIII</b> .....	<b>25</b>
<b>Annex G (normative) Dry-pressed ceramic tiles with low water absorption <math>E_v \leq 0,5 \%</math> Group BI<sub>a</sub></b> .....	<b>28</b>
<b>Annex H (normative) Dry-pressed ceramic tiles with low water absorption <math>0,5 \% &lt; E_v \leq 3 \%</math></b>	
<b>Group BI<sub>b</sub></b> .....	<b>32</b>
<b>Annex I (informative) Intentionally blank</b> .....	<b>35</b>
<b>Annex J (normative) Dry-pressed ceramic tiles <math>3 \% &lt; E_v \leq 6 \%</math> Group BII<sub>a</sub></b> .....	<b>36</b>
<b>Annex K (normative) Dry-pressed ceramic tiles <math>6 \% &lt; E_v \leq 10 \%</math> Group BII<sub>b</sub></b> .....	<b>39</b>
<b>Annex L (normative) Dry-pressed ceramic tiles <math>E_v &gt; 10 \%</math> Group BIII</b> .....	<b>42</b>
<b>Annex M (normative) Extruded ceramic tiles with low water absorption <math>E_v \leq 0,5 \%</math> Group AI<sub>a</sub></b> .....	<b>45</b>
<b>Annex N (informative) Classification of glazed tiles for floors according to their abrasion resistance</b> .....	<b>48</b>
<b>Annex O (informative) Intentionally blank</b> .....	<b>49</b>
<b>Annex P (informative) Test methods</b> .....	<b>50</b>
<b>Annex Q (informative) Intentionally blank</b> .....	<b>51</b>
<b>Annex R (informative) Symbols recommended for use</b> .....	<b>52</b>
<b>Bibliography</b> .....	<b>53</b>