SRI LANKA STANDARD 795: PART 1: 1987

UDC 684.7: 677.074: 678.743.22

## SPECIFICATION FOR COATED FABRICS

PART 1 - POLYVINYL CHLORIDE (PVC) COATED WOVEN
FABRICS FOR UPHOLSTERY

# SPECIFICATION FOR COATED FABRICS PART 1: POLYVINYL CHLORIDE (PVC) COATED WOVEN FABRICS FOR UPHOLSTERY

SLS 795:Part 1:1987

Gr. 7

Copyright Reserved

SRI LANKA STANDARDS INSTITUTION

53, Dharmapala Mawatha,

Colombo 3,

Sri Lanka.

### SPECIFICATION FOR COATED FABRICS

### PART 1:POLYVINYL CHLORIDE (PVC)COATED WOVEN FABRICS FOR UPHOLSTERY

#### FOREWORD

This Sri Lanka Standard was authorized for adoption and publication by the Council of the Sri Lanka Standards Institution on 1987-10-08, after the darft, finalized by the Drafting Committee on Coated Fabrics, had been approved by the Chemicals Divisional Committee.

This part covers only the PVC-coated woven fabrics mainly used for upholstery. It may also be used for manufacture of bags and for shoe uppers. PVC-coated knitted fabrics used for upholstery and coated fabrics used for water resistant clothing will be covered in separate parts.

Clauses 5.3, 5.4 and 6.2 of this specification call for agreement between the purchaser and the supplier.

All standard values in this specification are given in SI units.

For the purpose of deciding whether a particular requirement of this specification is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with CS 102. The number of significant places retained in the rounded off value shall be the same as that of the specified value in this specification.

In the preparation of this specification, the assistance derived from the publications of the International Organization for Standardization, the British Standards Institution, the Indian Standards Institution and the South African Bureau of Standards is gratefully acknowledged.

#### 1 SCOPE

This part prescribes the requirements and methods of sampling and test for PVC-coated woven fabrics used for upholstery.