SRI LANKA STANDARD 795: PART 2: 1988

UDC 684. 7:677. 074: 678. 734

SPECIFICATION FOR COATED FABRICS

PART 2 - POLYVINYL CHLORIDE (PVC) COATED KNITTED FABRICS FOR UPHOLSTERY

SRI LANKA STANDARDS INSTITUTION

SPECIFICATION FOR COATED FABRICS PART 2:POLYVINYL CHLORIDE (PVC) COATED KNITTED FABRICS FOR UPHOLSTERY

SLS 795:Part 2:1988

Gr. 6

SRI LANKA STANDARDS INSTITUTION,
53, Dharmapala Mawatha,
Colombo 3,
Sri Lanka.

SPECIFICATION FOR COATED FABRICS

PART 2: PCLYVINYL CHLORIDE (PVC) COATED KNITTED FABRICS FOR UPHOLSTERY

FOREWORD

This Sri Lanka Standard was authorized for adoption and publication by the Council of the Sri Lanka Standards Institution on 1988-08-05, after the draft, finalized by the Drafting Committee on Coated Fabrics, had been approved by the Chemicals Divisional Committee.

This part covers polyvinyl chloride (PVC) coated knitted fabrics mainly used for upholstery.

Clauses 5.3,5.4, and 6.2 of this specification call for agreement between the purchaser and the supplier.

All standard values in this specification are given in SI units.

For the purpose of deciding whether a particular requirement of this specification is complied with the final value, observed or calculated, expressing the result of a test or an analysis, shall be rounded off in accordance with CS 102. The number of significant places retained in the rounded off value shall be the same as that of the specified value in this specification.

In the preparation of this specification, the assistance derived from the publications of the International organization for Standardization and the British Standards Institution is gratefully acknowledged.

I SCOPE

This part prescribes the requirements and methods of sampling and test for PVC coated knitted fabrics used for upholstery.

2 REFERENCES

- IS 2244 Glossary of terms relating to treated fabrics
- CS 62 Determination of colour fastness of textile material to daylight
- CS 63 Determination of colour fastness of textile material to rubbing
- CS 102 Presentation of numerical values