

SRI LANKA STANDARD 795 : PART 3 : 1989

UDC 684.7 : 678.743

SPECIFICATION FOR

COATED FABRICS

**PART 3 - POLYVINYL CHLORIDE (PVC) COATED
FABRICS FOR WATER RESISTANT CLOTHING**

SRI LANKA STANDARDS INSTITUTION

SPECIFICATION FOR COATED FABRICS
PART 3 : POLYVINYL CHLORIDE (PVC) COATED FABRICS FOR
WATER RESISTANT CLOTHING

SLS 795 : 1989

Gr. 6

Copyright Reserved

SRI LANKA STANDARDS INSTITUTION

53, Dharmapala Mawatha,

Colombo 3,

Sri Lanka.

SRI LANKA STANDARD
SPECIFICATION FOR COATED FABRICS
PART 3 : POLYVINYL CHLORIDE (PVC) COATED FABRICS
FOR WATER RESISTANT CLOTHING

FOREWORD

This Sri Lanka Standard was authorized for adoption and publication by the Council of the Sri Lanka Standards Institution on 1989-12-14, after the draft, finalized by the Drafting Committee on Coated Fabrics, had been approved by the Chemicals Divisional Committee.

Part 1 of this standard covers polyvinyl chloride (PVC) coated woven fabrics for upholstery and part 2 covers polyvinyl chloride (PVC) coated knitted fabrics for upholstery.

This part of the standard covers only the Polyvinyl Chloride (PVC) coated fabrics mainly used for water resistant clothing.

Clauses 4.3, 4.4, and 5.2 of this specification call for agreement between the purchaser and the supplier.

All Standard values given in this specification are in SI units.

For the purpose of deciding whether a particular requirement of this specification is complied with, the final value, observed or calculated, expressing the result of a test or an analysis, shall be rounded off in accordance with CS 102. The number of significant places retained in the rounded off value shall be the same as that of the specified value in this specification.

In the preparation of this specification, the assistance derived from the publications of the International Organization for Standardization, the British Standards Institution and the Bureau of Indian Standards is gratefully acknowledged.

1 SCOPE

This part prescribes the requirements, methods of sampling and test for fabrics coated on one side with a suitably plasticized coating, pigmented or otherwise, of vinyl chloride or co-polymer, the major constituent of which is vinyl chloride and which are intended for use in water resistant clothing.

2 REFERENCES

- ISO 5978 Rubber or plastics coated fabrics determination of blocking resistance.
- ISO 6451 Plastics coated fabrics - Polyvinyl chloride coatings rapid method for checking fusion.