

SRI LANKA STANDARD 953 : 1992

UDC 665 . 944 . 54

Reaffirmed

2016

**SPECIFICATION FOR
TURPENTINE**

SRI LANKA STANDARDS INSTITUTION

SPECIFICATION FOR TURPENTINE

SLS 953 : 1992

Gr. 7

Copyright Reserved

SRI LANKA STANDARDS INSTITUTION

53, Dharmapala Mawatha,

Colombo 3,

Sri Lanka.

SRI LANKA STANDARD SPECIFICATION FOR TURPENTINE

FOREWORD

This standard was approved by the Sectoral Committee on Paints and Varnishes and Allied Products and was authorized for adoption and publication as a Sri Lanka Standard by the Council of the Sri Lanka Standards Institution on 92-03-26.

For the purpose of deciding whether a particular requirement of this specification is complied with, the final value, observed or calculated, expressing the result of a test or an analysis shall be rounded off in accordance with CS 102. The number of significant places retained in the rounded off value shall be the same as that of the specified value in this specification.

In the preparation of this specification, the assistance obtained from the publications of the International Organization for Standardization is gratefully acknowledged.

1 SCOPE

This specification prescribes the requirements and methods of sampling and test for gum spirit of turpentine and wood turpentines for use in paints and varnishes.

2 REFERENCES

- CS 102 Presentation of numerical values.
- SLS 428 Random sampling methods.
- SLS 584 Tests for petroleum and petroleum products - Volume 1.

3 DEFINITIONS

For the purpose of this specification, the following definitions shall apply:

3.1 gum spirit of turpentine : Product obtained from oleoresins from pine trees by distillation at a temperature below 180 °C or by any other method of fractionation which does not alter the terpenic constituents of the oleoresins.