

SRI LANKA STANDARD 1029 : PART 2: 1995

UDC 631.82 : 633.91

**SPECIFICATION FOR FERTILIZER MIXTURES
PART 2 : RUBBER**

SRI LANKA STANDARDS INSTITUTION

SPECIFICATION FOR FERTILIZER MIXTURES
Part 2 : Rubber

SLS 1029 : Part 2 : 1995

Gr. 4

Copyright Reserved
SRI LANKA STANDARDS INSTITUTION
No. 53, Dharmapala Mawatha,
Colombo 3,
Sri Lanka.

**Sri Lanka Standard
SPECIFICATION FOR FERTILIZER MIXTURES
Part 2 : Rubber**

FOREWORD

This standard was approved by the Sectoral Committee on Chemicals and Chemical Technology and was authorized for adoption and publication as a Sri Lanka Standard by the Council of the Sri Lanka Standards Institution on 1995-08-24.

Guidelines for the determination of compliance of a lot with the requirements of this standard based on statistical sampling and inspection are given in Appendix A.

For the purpose of deciding whether a particular requirement of this specification complied with, the final value, observed or calculated, expressing the result of a test or an analysis, shall be rounded off in accordance with CS 102. The number of significant places retained in the rounded off value shall be the same as that of the specified value in this specification.

In addition to the recommended fertilizer mixtures, Rubber Research Institute also recommends straight fertilizer for mature rubber plantations in the estate sector based on soil and foliar analysis.

1 SCOPE

This specification prescribes the requirements and methods of test for fertilizer mixtures for rubber.

2 REFERENCES

| | | |
|-----|------|--|
| CS | 102 | Presentation of numerical values |
| CS | 124 | Test sieves |
| SLS | 559 | Sampling of fertilizers |
| SLS | 618 | Urea |
| SLS | 620 | Ammonium sulphate |
| SLS | 644 | Potassium chloride (muriate of potash) |
| SLS | 645 | Methods of test for fertilizers |
| SLS | 748 | Ground rock phosphate |
| SLS | 1104 | Kieserite |
| SLS | 1105 | Epsom salt |
| SLS | 1107 | Potassium sulfate |
| SLS | 1131 | Ammonium phosphates |