SRI LANKA STANDARD 1256 PART 40: 2017

(ISO 1514: 2016) UDC 667.612

METHOD OF TEST FOR PAINTS AND VARNISHES

PART 40: PREPARATION OF STANDARD PANELS FOR TESTING (PANELS OTHER THAN BURNISHED STEEL, GLASS, WOOD AND ASBESTOS)

SRI LANKA STANDARDS INSTITUTION

Sri Lanka Standard METHOD OF TEST FOR PAINTS AND VARNISHES PART 40: PREPARATION OF STANDARD PANELS FOR TESTING (PANELS OTHER THAN BURNISHED STEEL, GLASS, WOOD AND ASBESTOS)

SLS 1256 Part 40: 2017 (ISO 1514: 2016)

Gr. F

Copyright Reserved
SRI LANKA STANDARDS INSTITUTION
17, Victoria Place
Elvitigala Mawatha
Colombo - 08
Sri Lanka.

Sri Lanka Standard METHOD OF TEST FOR PAINTS AND VARNISHES PART 40: PREPARATION OF STANDARD PANELS FOR TESTING (PANELS OTHER THAN BURNISHED STEEL, GLASS, WOOD AND ASBESTOS)

NATIONAL FOREWORD

This Sri Lanka Standard was approved by the Sectoral Committee on Chemical and Polymer Technology and authorized for adoption and publication as a Sri Lanka Standard by the Council of the Sri Lanka Standards Institution on 2017-08-30.

The text of the International Standard ISO 1514: 2016 Paints and varnishes – Standard panels for testing has been accepted for adoption as SLS 1256: Part 40: 2017

This Sri Lanka Standard is identical with ISO 1514: 2016 Paints and varnishes – Standard panels for testing published by the International Organization for Standardization (ISO).

TERMINOLOGY AND CONVENTIONS

The text of the International Standard has been accepted as a suitable for publication, without deviation, as a Sri Lanka Standard. However, certain terminology and conventions are not identical with those used in Sri Lanka Standards. Attention is therefore drawn to the following:

- a) Wherever the words "International Standard" appear referring to a particular Standards they should be interpreted as "Sri Lanka Standard".
- b) The comma has been used throughout as a decimal marker. In Sri Lanka Standards it is the current practice to use the full point at the base as the decimal marker.
- c) Wherever page numbers are quoted, they are ISO/IEC page numbers.

Cross References

International Standard	Corresponding Sri Lanka Standard
ISO 1268 (all parts), Fibre-reinforced plastics — Methods of producing test plates	No corresponding Sri Lanka Standards
ISO 2409, Paints and varnishes — Cross-cut test	SLS 1256: Part 22 cross cut test
ISO 2808, Paints and varnishes — Determination of film thickness	SLS 1256: Part 15 Determination of film thickness
ISO 4287, Geometrical Product Specifications (GPS) — Surface texture: Profile method — Terms, definitions and surface texture parameters	No corresponding Sri Lanka Standards
ISO 8336, Fibre-cement flat sheets — Product specification and test methods	No corresponding Sri Lanka Standards
ISO 11949, Cold-reduced electrolytic tinplate	No corresponding Sri Lanka Standards
EN 520, Gypsum plasterboards — Definitions, requirements and test methods	No corresponding Sri Lanka Standards
EN 622 (all parts), Fibreboards — Specifications	No corresponding Sri Lanka Standards
EN 1396, Aluminium and aluminium alloys — Coil coated sheet and strip for general applications — Specifications	No corresponding Sri Lanka Standards
EN 10205, Cold reduced blackplate in coil form for the production of tinplate or electrolytic chromium/chromium oxide coated steel	No corresponding Sri Lanka Standards
EN 13523-1, Coil coated metals — Test methods — Part 1: Film thickness	No corresponding Sri Lanka Standards
EN 13523-22, Coil coated metals — Test methods — Part 22: Colour difference — Visual comparison	No corresponding Sri Lanka Standards
EN 15283-2, Gypsum boards with fibrous reinforcement — Definitions, requirements and test methods — Part 2: Gypsum fibre boards	No corresponding Sri Lanka Standards
EN 16245-1, Fibre-reinforced plastic composites — Declaration of raw material characteristics — Part 1: General requirements	No corresponding Sri Lanka Standards

INTERNATIONAL STANDARD

SLS 1256-40: 2017 **ISO 1514**

Fifth edition 2016-08-01

Paints and varnishes — Standard panels for testing

Peintures et vernis — Panneaux normalisés pour essai



Introduction	Page
1 Scope 2 Normative references 3 Steel panels 3.1 Material 3.2 Storage prior to preparation 3.3 Preparation by solvent cleaning 3.4 Preparation by aqueous cleaning (spray or immersion process) 3.5 Preparation by advence deaning (spray or immersion process) 3.5.1 General 3.5.2 Hand abrasion 3.5.3 Linear grinding 3.6 Inspection and cleaning 3.7 Preparation by phosphate treatment 3.7.1 General 3.7.2 Amorphous iron phosphate treatment 3.7.2 Amorphous iron phosphate treatment 3.8 Preparation by blast-cleaning 4 Tinplate panels 4.1 Material 4.2 Preparation by solvent or aqueous cleaning 4.3 Preparation by solvent or aqueous cleaning 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by solvent cleaning 6.4 Preparation by solvent cleaning 6.5 Preparation by solvent cleaning 6.7 Material 6.8 Preparation by solvent cleaning 6.9 Preparation by solvent cleaning 6.1 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by solvent cleaning 6.4 Preparation by solvent cleaning 6.5 Preparation by solvent cleaning 6.7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8.4 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Pretreatment by flaming	v
Steel panels 3.1 Material 3.2 Storage prior to preparation 3.3 Preparation by solvent cleaning 3.4 Preparation by aqueous cleaning (spray or immersion process) 3.5 Preparation by abrasion 3.5.1 General 3.5.2 Hand abrasion 3.5.4 Linear grinding 3.6 Inspection and cleaning 3.7 Preparation by phosphate treatment 3.7.1 General 3.7.2 Amorphous iron phosphate treatment 3.7.1 General 3.7.2 Amorphous iron phosphate treatment 3.7.1 Material 4.2 Preparation by blast-cleaning 4.3 Preparation by solvent or aqueous cleaning 4.3 Preparation by solvent or aqueous cleaning 4.3 Preparation by solvent cleaning 5.1 Material 5.2 Preparation by aqueous cleaning 5.3 Preparation by solvent cleaning 6.4 Preparation by solvent cleaning 6.7 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by aqueous cleaning 6.4 Preparation by solvent cleaning 6.5 Preparation by solvent cleaning 6.7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8.4 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Preparation by solvent cleaning 8.5 Plastics panels 8.7 Preparation by solvent cleaning 8.8 Plastics panels 8.9 Preparation by solvent cleaning	v
Steel panels 3.1 Material 3.2 Storage prior to preparation 3.3 Preparation by solvent cleaning 3.4 Preparation by aqueous cleaning (spray or immersion process) 3.5 Preparation by abrasion 3.5.1 General 3.5.2 Hand abrasion 3.5.4 Linear grinding 3.6 Inspection and cleaning 3.7 Preparation by phosphate treatment 3.7.1 General 3.7.2 Amorphous iron phosphate treatment 3.7.1 General 3.7.2 Amorphous iron phosphate treatment 3.7.1 Material 4.2 Preparation by blast-cleaning 4.3 Preparation by solvent or aqueous cleaning 4.3 Preparation by solvent or aqueous cleaning 4.3 Preparation by solvent cleaning 5.1 Material 5.2 Preparation by aqueous cleaning 5.3 Preparation by solvent cleaning 6.4 Preparation by solvent cleaning 6.7 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by aqueous cleaning 6.4 Preparation by solvent cleaning 6.5 Preparation by solvent cleaning 6.7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8.4 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Preparation by solvent cleaning 8.5 Plastics panels 8.7 Preparation by solvent cleaning 8.8 Plastics panels 8.9 Preparation by solvent cleaning	1
3.1 Material 3.2 Storage prior to preparation 3.3 Preparation by solvent cleaning 3.4 Preparation by aqueous cleaning (spray or immersion process) 3.5 Preparation by abrasion 3.5.1 General 3.5.2 Hand abrasion 3.5.3 Circular mechanical abrasion 3.5.3 Circular mechanical abrasion 3.5.4 Linear grinding 3.6 Inspection and cleaning 3.7 Preparation by phosphate treatment 3.7.1 General 3.7.2 Amorphous iron phosphate treatment 3.8 Preparation by blast-cleaning 4.1 Material 4.2 Preparation by solvent or aqueous cleaning 4.3 Preparation by abrasion 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by solvent cleaning 5.3 Preparation by solvent cleaning 6.4 Preparation by aqueous cleaning 6.5 Aluminium panels 6.1 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by advasion 6.4 Preparation by advasion 7.1 Material 6.2 Preparation by advasion 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8.4 Preparation by solvent cleaning 8.5 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Pretreatment by flaming	
3.1 Material 3.2 Storage prior to preparation 3.3 Preparation by solvent cleaning 3.4 Preparation by aqueous cleaning (spray or immersion process) 3.5 Preparation by abrasion 3.5.1 General 3.5.2 Hand abrasion 3.5.3 Circular mechanical abrasion 3.5.3 Circular mechanical abrasion 3.5.4 Linear grinding 3.6 Inspection and cleaning 3.7 Preparation by phosphate treatment 3.7.1 General 3.7.2 Amorphous iron phosphate treatment 3.8 Preparation by blast-cleaning 4 Tinplate panels 4.1 Material 4.2 Preparation by solvent or aqueous cleaning 4.3 Preparation by abrasion 5 Zinc- and zinc-alloy-coated panels 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by aqueous cleaning 6 Aluminium panels 6.1 Material 6.2 Preparation by aqueous cleaning 6.3 Preparation by adveous cleaning 6.4 Preparation by abrasion 7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 9.3 Preparation by solvent cleaning 9.4 Preparation by solvent cleaning 9.5 Substrate 9.7 Preparation by solvent cleaning 9.8 Plastics panels 9.8 Plastics panels 9.8 Preparation by solvent cleaning 9.9 Preparation by solvent cleaning	
3.2 Storage prior to preparation 3.3 Preparation by solvent cleaning 3.4 Preparation by aqueous cleaning (spray or immersion process) 3.5 Preparation by abrasion 3.5.1 General 3.5.2 Hand abrasion 3.5.3 Circular mechanical abrasion 3.5.4 Linear grinding 3.6 Inspection and cleaning 3.7 Preparation by phosphate treatment 3.7.1 General 3.7.2 Amorphous iron phosphate treatment 3.7.2 Amorphous iron phosphate treatment 3.8 Preparation by blast-cleaning 4 Timplate panels 4.1 Material 4.2 Preparation by solvent or aqueous cleaning 4.3 Preparation by solvent or aqueous cleaning 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by solvent cleaning 6 Aluminium panels 6.1 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by solvent cleaning 6.4 Preparation by advasion 7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Pretreatment by flaming	
3.3 Preparation by solvent cleaning 3.4 Preparation by aqueous cleaning (spray or immersion process) 3.5 Preparation by abrasion 3.5.1 General 3.5.2 Hand abrasion 3.5.3 Circular mechanical abrasion 3.5.4 Linear grinding 3.6 Inspection and cleaning 3.7 Preparation by phosphate treatment 3.7.1 General 3.7.2 Amorphous iron phosphate treatment 3.8 Preparation by blast-cleaning 4 Tinplate panels 4.1 Material 4.2 Preparation by solvent or aqueous cleaning 4.3 Preparation by solvent or aqueous cleaning 5.1 Material 5.2 Preparation by aqueous cleaning 5.3 Preparation by aqueous cleaning 6 Aluminium panels 6.1 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by solvent cleaning 6.4 Preparation by solvent cleaning 6.5 Preparation by solvent cleaning 6.7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Pretreatment by flaming	
3.4 Preparation by aqueous cleaning (spray or immersion process) 3.5 Preparation by abrasion 3.5.1 General 3.5.2 Hand abrasion 3.5.3 Circular mechanical abrasion 3.5.4 Linear grinding 3.6 Inspection and cleaning 3.7 Preparation by phosphate treatment 3.7.1 General 3.7.2 Amorphous iron phosphate treatment 3.8 Preparation by blast-cleaning 4 Tinplate panels 4.1 Material 4.2 Preparation by solvent or aqueous cleaning 4.3 Preparation by abrasion 5 Zinc- and zinc-alloy-coated panels 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by solvent cleaning 5.3 Preparation by solvent cleaning 6 Aluminium panels 6.1 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by solvent cleaning 6.4 Preparation by solvent cleaning 6.5 Preparation by solvent cleaning 6.7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Preparation by solvent cleaning 8.5 Preparation by solvent cleaning 8.7 Preparation by solvent cleaning 8.7 Preparation by solvent cleaning 8.8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.4 Pretreatment by flaming	
3.5 Preparation by abrasion 3.5.1 General 3.5.2 Hand abrasion 3.5.3 Circular mechanical abrasion 3.5.4 Linear grinding 3.6 Inspection and cleaning 3.7 Preparation by phosphate treatment 3.7.1 General 3.7.2 Amorphous iron phosphate treatment 3.8 Preparation by blast-cleaning 4 Tinplate panels 4.1 Material 4.2 Preparation by solvent or aqueous cleaning 4.3 Preparation by abrasion 5 Zinc- and zinc-alloy-coated panels 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by aqueous cleaning 6 Aluminium panels 6.1 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by aqueous cleaning 6.4 Preparation by adueous cleaning 6.7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Pretreatment by flaming	
3.5.2 Hand abrasion 3.5.3 Circular mechanical abrasion 3.5.4 Linear grinding 3.6 Inspection and cleaning 3.7 Preparation by phosphate treatment 3.7.1 General 3.7.2 Amorphous iron phosphate treatment 3.7.2 Amorphous iron phosphate treatment 3.8 Preparation by blast-cleaning 4 Tinplate panels 4.1 Material 4.2 Preparation by solvent or aqueous cleaning 4.3 Preparation by abrasion 5 Zinc- and zinc-alloy-coated panels 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by aqueous cleaning 6.4 Naturinium panels 6.1 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by solvent cleaning 6.4 Preparation by solvent cleaning 6.5 Preparation by solvent cleaning 6.7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Pretreatment by flaming	
3.5.3 Circular mechanical abrasion 3.5.4 Linear grindling 3.6 Inspection and cleaning 3.7 Preparation by phosphate treatment 3.7.1 General 3.7.2 Amorphous iron phosphate treatment 3.8 Preparation by blast-cleaning 4 Tinplate panels 4.1 Material 4.2 Preparation by solvent or aqueous cleaning 4.3 Preparation by solvent or aqueous cleaning 5 Zinc- and zinc-alloy-coated panels 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by solvent cleaning 5.3 Preparation by aqueous cleaning 6 Aluminium panels 6.1 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by solvent cleaning 6.4 Preparation by aqueous cleaning 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Pretreatment by flaming	2
3.5.4 Linear grinding 3.6 Inspection and cleaning 3.7 Preparation by phosphate treatment 3.7.1 General 3.7.2 Amorphous iron phosphate treatment 3.8 Preparation by blast-cleaning 4 Tinplate panels. 4.1 Material 4.2 Preparation by solvent or aqueous cleaning 4.3 Preparation by abrasion 5 Zinc- and zinc-alloy-coated panels 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by solvent cleaning 5.3 Preparation by aqueous cleaning 6.1 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by solvent cleaning 6.4 Preparation by adjuct cleaning 6.5 Preparation by adjuct cleaning 6.7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Pretreatment by flaming	
3.6 Inspection and cleaning 3.7 Preparation by phosphate treatment 3.7.1 General 3.7.2 Amorphous iron phosphate treatment 3.8 Preparation by blast-cleaning 4 Tinplate panels 4.1 Material 4.2 Preparation by solvent or aqueous cleaning 4.3 Preparation by solvent or aqueous cleaning 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by solvent cleaning 5.3 Preparation by aqueous cleaning 6.4 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by solvent cleaning 6.4 Preparation by adveous cleaning 6.5 Preparation by solvent cleaning 6.7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Pretreatment by flaming	
3.7 Preparation by phosphate treatment 3.7.1 General 3.7.2 Amorphous iron phosphate treatment 3.8 Preparation by blast-cleaning 4 Tinplate panels 4.1 Material 4.2 Preparation by solvent or aqueous cleaning 4.3 Preparation by abrasion 5 Zinc- and zinc-alloy-coated panels 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by solvent cleaning 6.4 Numinium panels 6.1 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by solvent cleaning 6.4 Preparation by aqueous cleaning 6.5 Preparation by solvent cleaning 6.7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Pretreatment by flaming	
3.7.1 General 3.7.2 Amorphous iron phosphate treatment 3.8 Preparation by blast-cleaning 4 Tinplate panels 4.1 Material 4.2 Preparation by solvent or aqueous cleaning 4.3 Preparation by abrasion 5 Zinc- and zinc-alloy-coated panels 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by aqueous cleaning 6.4 Muminium panels 6.1 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by aqueous cleaning 6.4 Preparation by aqueous cleaning 6.7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Pretreatment by flaming	
3.7.2 Amorphous iron phosphate treatment 3.8 Preparation by blast-cleaning. 4 Tinplate panels 4.1 Material 4.2 Preparation by solvent or aqueous cleaning. 4.3 Preparation by abrasion. 5 Zinc- and zinc-alloy-coated panels. 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by aqueous cleaning. 6.1 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by solvent cleaning 6.4 Preparation by aqueous cleaning. 7.1 Material 7.2 Coating panels of steel or aluminium 7.1 Material 7.3 Substrate 7.4 Preparation by solvent cleaning. 8 Plastics panels 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by detergent cleaning. 8.4 Pretreatment by flaming.	
3.8 Preparation by blast-cleaning. 4 Tinplate panels. 4.1 Material. 4.2 Preparation by solvent or aqueous cleaning. 4.3 Preparation by abrasion. 5 Zinc- and zinc-alloy-coated panels. 5.1 Material. 5.2 Preparation by solvent cleaning. 5.3 Preparation by aqueous cleaning. 6.1 Material. 6.2 Preparation by solvent cleaning. 6.3 Preparation by solvent cleaning. 6.4 Preparation by aqueous cleaning. 6.5 Preparation by adueous cleaning. 6.1 Material. 6.2 Preparation by solvent cleaning. 6.3 Preparation by adueous cleaning. 6.4 Preparation by abrasion. 7 Coil-coating panels of steel or aluminium. 7.1 Material. 7.2 Coating. 7.3 Substrate. 7.4 Preparation by solvent cleaning. 8 Plastics panels. 8.1 Material. 8.2 Preparation by solvent cleaning. 8.3 Preparation by detergent cleaning. 8.4 Pretreatment by flaming.	
Tinplate panels 4.1 Material 4.2 Preparation by solvent or aqueous cleaning 4.3 Preparation by abrasion Tinc- and zinc-alloy-coated panels 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by aqueous cleaning 6.4 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by solvent cleaning 6.4 Preparation by adueous cleaning 6.4 Preparation by abrasion Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Pretreatment by flaming	
4.1 Material 4.2 Preparation by solvent or aqueous cleaning 4.3 Preparation by abrasion 5 Zinc- and zinc-alloy-coated panels 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by aqueous cleaning 6.4 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by aqueous cleaning 6.4 Preparation by adueous cleaning 6.5 Preparation by abrasion 7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Pretreatment by flaming	
4.2 Preparation by solvent or aqueous cleaning 4.3 Preparation by abrasion 5 Zinc- and zinc-alloy-coated panels 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by aqueous cleaning 6.1 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by aqueous cleaning 6.4 Preparation by adueous cleaning 6.5 Preparation by abrasion 7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Pretreatment by flaming	
4.3 Preparation by abrasion 5 Zinc- and zinc-alloy-coated panels 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by aqueous cleaning 6.4 Material 6.5 Preparation by solvent cleaning 6.6 Preparation by solvent cleaning 6.6 Preparation by aqueous cleaning 6.6 Preparation by aqueous cleaning 6.6 Preparation by abrasion 7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by detergent cleaning 8.4 Pretreatment by flaming	
5 Zinc- and zinc-alloy-coated panels 5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by aqueous cleaning 6.4 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by aqueous cleaning 6.4 Preparation by abrasion 7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Pretreatment by flaming	∠
5.1 Material 5.2 Preparation by solvent cleaning 5.3 Preparation by aqueous cleaning 6.4 Aluminium panels 6.5 Preparation by solvent cleaning 6.6 Preparation by solvent cleaning 6.6 Preparation by aqueous cleaning 6.6 Preparation by adueous cleaning 6.6 Preparation by abrasion 7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by detergent cleaning 8.4 Pretreatment by flaming	
5.2 Preparation by solvent cleaning 5.3 Preparation by aqueous cleaning 6 Aluminium panels 6.1 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by aqueous cleaning 6.4 Preparation by abrasion 7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by solvent cleaning 8.4 Pretreatment by flaming	
5.3 Preparation by aqueous cleaning. 6 Aluminium panels 6.1 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by aqueous cleaning. 6.4 Preparation by abrasion 7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning. 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by detergent cleaning 8.4 Pretreatment by flaming	
6 Aluminium panels 6.1 Material 6.2 Preparation by solvent cleaning 6.3 Preparation by aqueous cleaning 6.4 Preparation by abrasion 7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by detergent cleaning 8.4 Pretreatment by flaming	
6.1 Material 6.2 Preparation by solvent cleaning. 6.3 Preparation by aqueous cleaning. 6.4 Preparation by abrasion. 7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating. 7.3 Substrate. 7.4 Preparation by solvent cleaning. 8 Plastics panels. 8.1 Material 8.2 Preparation by solvent cleaning. 8.3 Preparation by detergent cleaning. 8.4 Pretreatment by flaming.	
6.2 Preparation by solvent cleaning. 6.3 Preparation by aqueous cleaning. 6.4 Preparation by abrasion. 7 Coil-coating panels of steel or aluminium. 7.1 Material. 7.2 Coating. 7.3 Substrate. 7.4 Preparation by solvent cleaning. 8 Plastics panels. 8.1 Material. 8.2 Preparation by solvent cleaning. 8.3 Preparation by detergent cleaning. 8.4 Pretreatment by flaming.	
6.3 Preparation by aqueous cleaning. 6.4 Preparation by abrasion. 7 Coil-coating panels of steel or aluminium 7.1 Material. 7.2 Coating. 7.3 Substrate. 7.4 Preparation by solvent cleaning. 8 Plastics panels. 8.1 Material. 8.2 Preparation by solvent cleaning. 8.3 Preparation by detergent cleaning. 8.4 Pretreatment by flaming.	
6.4 Preparation by abrasion 7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning. 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning. 8.3 Preparation by detergent cleaning 8.4 Pretreatment by flaming.	
7 Coil-coating panels of steel or aluminium 7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning. 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning. 8.3 Preparation by detergent cleaning 8.4 Pretreatment by flaming.	
7.1 Material 7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning. 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning. 8.3 Preparation by detergent cleaning 8.4 Pretreatment by flaming.	
7.2 Coating 7.3 Substrate 7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by detergent cleaning 8.4 Pretreatment by flaming	
7.3 Substrate 7.4 Preparation by solvent cleaning. 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning. 8.3 Preparation by detergent cleaning 8.4 Pretreatment by flaming.	
7.4 Preparation by solvent cleaning 8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by detergent cleaning 8.4 Pretreatment by flaming	
8 Plastics panels 8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by detergent cleaning 8.4 Pretreatment by flaming	
8.1 Material 8.2 Preparation by solvent cleaning 8.3 Preparation by detergent cleaning 8.4 Pretreatment by flaming 8.4	
8.2 Preparation by solvent cleaning	
8.3 Preparation by detergent cleaning 8.4 Pretreatment by flaming	
8.4 Pretreatment by flaming	
, ,	
9 Glass-tibre reinforced plastic composite panels (GRP)	
9.1 Material 9.2 Preparation by solvent cleaning	
9.2 Preparation by solvent cleaning	
10 Carbon-fibre reinforced plastic composite panels (CFRP)	
10.1 Material	
10.2 Preparation by solvent cleaning	/

SLS 1256-40: 2017 **ISO 1514:2016(E)**

11	Glass panels	7
	11.1 Material	7
	11.2 Preparation by solvent cleaning	7
	11.2 Preparation by solvent cleaning11.3 Preparation by detergent cleaning	7
12	Hardboard	8
	12.1 Material	
	12.2 Preparation	8
13	Gypsum plasterboards panels and gypsum boards with fibrous reinforcement panels	8
	13.1 Material	8
	13.2 Preparation	8
14	Fibre-reinforced cement panels	8
Annex	A (informative) General guidelines on preparation of steel panels by blast-cleaning	9
Annex	B (informative) Common substrate panels	10
Biblio	graphy	11