#### SRI LANKA STANDARD 1350: 2016

ISO 22717: 2015 UDC 665.58:579.63

# METHOD OF TEST FOR THE DETECTION OF Pseudomonas aeruginosa IN COSMETICS (First Revision)

SRI LANKA STANDARDS INSTITUTION

# Sri Lanka Standard METHOD OF TEST FOR THE DETECTION OF Pseudomonas aeruginosa IN COSMETICS (First Revision)

SLS 1350 : 2016 ISO 22717 : 2015

Gr. G

Copyright Reserved
SRI LANKA STANDARDS INSTITUTION
17, Victoria Place
Elvitigala Mawatha
Colombo 08
SRI LANKA

SLS 1350 : 2016 ISO 22717 : 2015

## Sri Lanka Standard METHOD OF TEST FOR THE DETECTION OF Pseudomonas aeruginosa IN COSMETICS (First Revision)

#### **FOREWORD**

This Sri Lanka Standard was approved by the Sectoral Committee on Chemical and Polymer Technology and was authorized for adoption and publication as a Sri Lanka Standard by the Council of the Sri Lanka Standards Institution on 2016-10-27.

This Sri Lanka Standard was first published in 2008 which was an adoption of ISO 22717: 2006 Cosmetics – Microbiology – Detection of *Pseudomonas aeruginosa*. The International Standard ISO 22717: 2006 has been technically revised in 2015. ISO 22717: 2015 which gives general guidelines for the detection and identification of *Pseudomonas aeruginosa* in cosmetic products has been accepted to adopt as the first revision to **SLS 1350: 2016** 

This Standard is identical with ISO 22717 : 2015 Cosmetics – Microbiology – Detection of *Pseudomonas aeruginosa*, published by the International Organization for Standardization (ISO).

#### **TERMINOLOGY AND CONVENTIONS:**

The text of the International Standard has been accepted as suitable for publication, without deviation, as a Sri Lanka Standard. However, certain terminology and conventions are not identical with those used in Sri Lanka Standards. Attention is therefore drawn to the following:

- a) Wherever the words 'International Standard' appear referring to a particular standard, they should be interpreted as "Sri Lanka Standard".
- b) The comma has been used throughout as a decimal marker. In Sri Lanka Standards it is the current practice to use the full point at the base as the decimal marker.
- c) Wherever page numbers are quoted, they are ISO page numbers.

### INTERNATIONAL STANDARD

ISO 22717

Second edition 2015-11-15

### Cosmetics — Microbiology — Detection of *Pseudomonas aeruginosa*

Cosmétiques — Microbiologie — Détection de Pseudomonas aeruginosa



Contents			Page
Fore	word		iv
Intro	duction	n	<b>v</b>
1	Scope	е	1
2	Norm	native references	1
3	Terms and definitions  Principle		
4			
5	Diluents and culture media		
3	5.1	General	
	5.2	Diluent for the bacterial suspension (tryptone sodium chloride solution)	3
		5.2.2 Composition	
	5.3	5.2.3 Preparation Culture media	
	5.5	5.3.1 General	
		5.3.2 Agar medium for the suitability test (see Clause 11) [soybean-casein digest agar medium (SCDA) or tryptic soy agar (TSA)]	3
		5.3.3 Enrichment broth	4
		<ul> <li>5.3.4 Selective agar medium for isolation of <i>Pseudomonas aeruginosa</i></li> <li>5.3.5 Selective agar medium for confirmation of <i>Pseudomonas aeruginosa</i></li> </ul>	
6	Anna	ratus and glassware	
		ns of microorganisms	
7			
8		lling of cosmetic products and laboratory samples	
9		edure	
	9.1 9.2	General recommendation Preparation of the initial suspension in the enrichment broth	
	7.2	9.2.1 General	
		9.2.2 Water-miscible products	
		9.2.3 Water-immiscible products	
	9.3	9.2.4 Filterable products Incubation of the inoculated enrichment broth	
	9.4	Detection and Identification of <i>Pseudomonas aeruginosa</i>	
		9.4.1 Isolation	7
		9.4.2 Identification of <i>Pseudomonas aeruginosa</i>	<i>7</i>
10	Expr	ession of results (detection of <i>Pseudomonas aeruginosa</i> )	8
11	Neutralization of the antimicrobial properties of the product		
	11.1 11.2	General Preparation of the inoculum	
	11.2	Suitability of the detection method	
	11.0	11.3.1 Procedure	8
		11.3.2 Interpretation of suitability test results	9
12	Test 1	report	9
Anne	ex A (inf	formative) Other enrichment broths	10
Anne		formative) Neutralizers of antimicrobial activity of preservatives and ng liquids	12
Bibli	ograph	v	13