SRI LANKA STANDARD 516:PART 4:1982 UDC 664:543.9 - 078

PART 4 – GENERAL GUIDANCE FOR THE DETECTION AND ENUMERATION OF FAECAL STREPTOCOCCI

BUREAU OF CEYLON STANDARDS

MICROBIOLOGICAL TEST METHODS

PART 4: GENERAL GUIDANCE FOR THE DETECTION AND ENUMERATION OF FAECAL STREPTOCOCCI

SLS 516:Part 4:1982

Gr.6

Copyright Reserved

BUREAU OF CEYLON STANDARDS

53, Dharmapala Mawatha,

Colombo 3,

Sri Lanka.

SRI LANKA STANDARD MICROBIOLOGICAL TEST METHODS

PART 4: GENERAL GUIDANCE FOR THE DETECTION AND ENUMERATION OF FAECAL STREPTOCOCCI

FOREWORD

This Sri Lanka Standard was authorized for adoption and publication by the Council of the Bureau of Ceylon Standards on 1982-07-12 after, the draft finalized by the Drafting Committee on Microbiological Test Methods has been approved by the Agricultural and Food Products Divisional Committee.

This standard is one of a series of Sri Lanka Standards for Microbiological Test Methods.

This Sri Lanka Standard is intended for general application, in the field of the microbiology of foods and feeding stuffs, to products intended for human consumption or feeding of animals. However, owing to the number and variety of these products, it may be necessary in special cases to make certain changes to these guidelines or even to use other methods. Such changes, or other methods will be indicated in the Sri Lanka Standards specific to these products.

All values given in this standard are in SI units.

In reporting the results of a test or analysis made in accordance with this standard, if the final value, observedor calculated, is to be rounded off, it shall be done in accordance with CS 102.

The assistance gained from publications of International Organization for Standardization (ISO) and the Indian Standards Institution (ISI) in the preparation of this standard is gratefully acknowledged.