

**SRI LANKA STANDARD 601:PART 3:1984**  
**UDC 666.17**

**SPECIFICATION FOR**  
**GLASS CONTAINER FINISHES**  
**PART 3 — OMNIA FINISHES**

**SRI LANKA STANDARDS INSTITUTION**

# SPECIFICATION FOR GLASS CONTAINER FINISHES

## PART 3 : OMNIA FINISHES

SLS 601:Part 3:1984

Gr. 4

*Copyright Reserved*

SRI LANKA STANDARDS INSTITUTION

53, Dharmapala Mawatha,

Colombo 3,

Sri Lanka

SRI LANKA STANDARD  
SPECIFICATION FOR GLASS CONTAINER FINISHES  
PART 3 : OMNIA FINISHES

**FOREWORD**

This Sri Lanka Standard specification was authorized for adoption and publication by the Council of the Sri Lanka Standards Institution on 1984-02-22, after the draft, finalized by the Drafting Committee on Glass Products had been approved by the Mechanical Engineering Divisional Committee.

This part is one of a series of standards on glass container finishes. Other parts covering Threaded finish, Crown finish, Lug finish and Aluminium foil cap type finish are being issued. A complete list of such standards may be obtained from the Sri Lanka Standards Institution. Glass bottles with omnia finish are widely used in Sri Lanka for packing jams, preservatives, chutneys etc.

All standard values given in this specification are in SI units.

For the purpose of deciding whether a particular requirement of this specification is complied with, the final value, observed or calculated, expressing the result of a test or analysis shall be rounded off in accordance with CS 102. The number of significant places retained in the rounded off value should be the same as that of the specified value in this specification.

In the preparation of this specification, the assistance obtained from the Glass Manufacturer's Federation of London is gratefully acknowledged.

**1 SCOPE**

1.1 This part of the specification prescribes the design and dimensions of the following omnia bottle neck finishes:

- a) Single omnia finishes (see Fig. 1); and
- b) Double omnia finishes (see Fig. 2).

**2 REFERENCES**

CS 102 Presentation of numerical values.