SRI LANKA STANDARD 90 : 1986

SPECIFICATION FOR COTTON POPLIN (POWERLOOM) (FIRST REVISION)

SRI LANKA STANDARDS INSTITUTION

SPECIFICATION FOR COTTON POPLIN (POWERLOOM) (FIRST REVISION)

SLS 90:1986

Gr. 6

Copuright Reserved

SRI LANKA STANDARDS INSTITUTION

53, Dharmapala Mawatha,

Colombo 3,

Sri Lanka.

SRI LANKA STANDARD SPECIFICATION FOR COTTON POPLIN (POWERLOOM) (FIRST REVISION)

FOREWORD

This Sri Lanka Standard was authorized for adoption and publication by the Council of the Sri Lanka Standards Institution on 1986-05-16 after the draft, finalized by the Drafting Committee on Cotton Poplin, had been approved by the Textiles Divisional Committee.

This specification was first published in 1970. In this revision, the scope of the specification has been expanded to cover finished and printed cotton poplin. In keeping with the current practice of the textile industry, one set of values for linear density of warp and weft yarn has been given as a guidance. This makes provision for the manufacturers to use suitable yarn of other linear densities. Requirements for number of threads per unit length, mass per unit area and shrinkage or elongation of preshrunk cloth have been changed and the colour fastness to bleaching and twist in yarns have been deleted. Further, methods of sampling and conformity to standard have been modified.

Clauses 4.2.6 and 4.2.7 of this specification call for agreement between the buyer and the seller.

All values given in this specification are in SI units.

For the purpose of deciding whether a particular requirement of this specification is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with CS 102. The number of significant places retained in the rounded off value shall be the same as that of the specified value in this specification.

In the preparation of this specification, valuable assistance derived from the publications of the Indian Standards Institution is gratefully acknowledged.