

SRI LANKA STANDARD 1256: PART 2: 2019
(ISO 2431: 2019)
UDC 667.661

**METHODS OF TEST FOR
PAINTS AND VARNISHES
PART 2: DETERMINATION OF FLOW TIME BY
THE USE OF FLOW CUPS**
(FIRST REVISION)

SRI LANKA STANDARDS INSTITUTION

Sri Lanka Standard
METHODS OF TEST FOR PAINTS AND VARNISHES
PART 2: DETERMINATION OF FLOW TIME BY THE USE OF FLOW CUPS
(FIRST REVISION)

SLS 1256: Part 2: 2019
(ISO 2431: 2019)

Gr. H

Copyright Reserved
SRI LANKA STANDARDS INSTITUTION
17, Victoria Place
Elvitigala Mawatha
Colombo - 08
Sri Lanka.

Sri Lanka Standard
METHODS OF TEST FOR PAINTS AND VARNISHES
PART 2: DETERMINATION OF FLOW TIME BY THE USE OF FLOW CUPS
(FIRST REVISION)

NATIONAL FOREWORD

This Standard was approved by the Sectoral Committee on Chemical and Polymer Technology and authorized for adoption and publication as a Sri Lanka Standard by the Council of the Sri Lanka Standards Institution on 2019-10-22

This Sri Lanka Standard was first published in 2004 which was an adoption of ISO 2431: 1993 Determination of flow time by the use of flow cups. The text of the above International Standard has been technically revised as ISO 2431: 2019 Determination of flow time by the use of flow cups. The International Standard ISO 2431: 2019 has been accepted for adoption as the First Revision of SLS 1256: Part 2; 2019.

This Sri Lanka Standard is identical with ISO 2431: 2019 Paints and varnishes – Determination of flow time by the use of flow cups, published by the International Organization for Standardization (ISO).

TERMINOLOGY AND CONVENTIONS

The text of the International Standard has been accepted as suitable for publication, without deviation, as a Sri Lanka Standard. However, certain terminology and conventions are not identical with those used in Sri Lanka Standards. Attention is therefore drawn to the following:

- a) Wherever the words “International Standard” appear referring to a particular Standard they should be interpreted as “Sri Lanka Standard”.
- b) The comma has been used throughout as a decimal marker. In Sri Lanka Standards it is the current practice to use the full point at the base as the decimal marker.
- c) Wherever page numbers are quoted, they are ISO page numbers.

INTERNATIONAL
STANDARD

SLS 1256 Part 2: 2019

ISO
2431

Sixth edition
2019-06

Corrected version
2019-09

**Paints and varnishes — Determination
of flow time by use of flow cups**

*Peintures et vernis — Détermination du temps d'écoulement au
moyen de coupes d'écoulement*



Reference number
ISO 2431:2019(E)

© ISO 2019

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Temperature considerations	2
5 Apparatus	2
5.1 Flow cups.....	2
5.1.1 Dimensions.....	2
5.1.2 Material.....	2
5.1.3 Construction.....	2
5.1.4 Finish.....	3
5.1.5 Measurement range.....	4
5.1.6 Marking.....	5
5.1.7 Care and checking of flow cups.....	5
5.2 Supplementary apparatus.....	6
6 Sampling	6
7 Procedure	6
7.1 Preliminary check for Newtonian flow.....	6
7.2 Determination of flow time.....	6
7.2.1 Choice of flow cup.....	6
7.2.2 Temperature adjustment.....	6
7.2.3 Preparation of the flow cup.....	7
7.2.4 Filling the flow cup.....	7
7.2.5 Measurement of flow time.....	7
7.2.6 Repeat determinations.....	7
8 Marking of products tested	7
9 Precision	8
9.1 General.....	8
9.2 Repeatability limit, <i>r</i>	8
9.3 Reproducibility limit, <i>R</i>	8
10 Test report	9
Annex A (normative) Checking flow cups for wear and tear	10
Annex B (informative) Conversion of flow times from one temperature to another	12
Bibliography	14