

SRI LANKA STANDARD SLS 1256 : PART 31 : 2016
ISO 2813 : 2014
UDC 667.6

METHOD OF TEST FOR
PAINTS AND VARNISHES
PART 31 : DETERMINATION OF GLOSS VALUE AT 20°, 60° AND 85°

SRI LANKA STANDARDS INSTITUTION

Sri Lanka Standard
METHOD OF TEST FOR PAINTS AND VARNISHES
PART 31 : DETERMINATION OF GLOSS VALUE AT 20°, 60° AND 85°

SLS 1256 : Part 31 : 2016
ISO 2813 : 2014

Gr. L

Copyright Reserved
SRI LANKA STANDARDS INSTITUTION
17, Victoria Place
Elvitigala Mawatha
Colombo - 08
Sri Lanka.

Sri Lanka Standard
METHOD OF TEST FOR PAINTS AND VARNISHES
PART 31: DETERMINATION OF GLOSS VALUE AT 20°, 60° AND 85°

NATIONAL FOREWORD

This Sri Lanka Standard was approved by the Sectoral Committee on Chemical and Polymer Technology and authorized for adoption and publication as a Sri Lanka Standard by the Council of the Sri Lanka Standards Institution on 2016-03-23.

This Standard is identical with ISO 2813: 2014 Paints and varnishes – Determination of gloss value at 20⁰, 60⁰ and 85⁰ published by the International Organization for Standardization (ISO).

TERMINOLOGY AND CONVENTIONS

The text of the International Standard has been accepted as suitable for publication, without deviation, as a Sri Lanka Standard. However, certain terminology and conventions are not identical with those used in Sri Lanka Standards. Attention is therefore drawn to the following:

- a) Wherever the words “International Standard” appear referring to a particular Standards they should be interpreted as “Sri Lanka Standard”.
- b) The comma has been used throughout as a decimal marker. In Sri Lanka Standards it is the current practice to use the full point at the base as the decimal marker.
- c) Wherever page numbers are quoted, they are ISO page numbers.

Cross References

International Standard	Corresponding Sri Lanka Standard
ISO 1514, Paints and varnishes – Standard panels for testing	No corresponding Sri Lanka Standard
ISO 2808, Paints and varnishes - Determination of film thickness	SLS 1256 Method of test for paints and varnishes Part 15 Determination of film thickness
ISO 4618, Paints and varnishes – Terms and definitions	No corresponding Sri Lanka Standard

.....

INTERNATIONAL
STANDARD

SLS 1256-31 : 2016

ISO
2813

Fourth edition
2014-10-01

**Paints and varnishes — Determination
of gloss value at 20°, 60° and 85°**

*Peintures et vernis — Détermination de l'indice de brillance à 20°, 60°
et 85°*



Reference number
ISO 2813:2014(E)

© ISO 2014

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Basic principles of the gloss measurement	2
6 Apparatus and calibration equipment	4
6.1 Glossmeter.....	4
6.2 Measurement standards (certified reference material, working measurement standards).....	7
7 Test panels	8
7.1 Substrate.....	8
7.2 Preparation and coating.....	8
7.3 Drying and conditioning.....	8
7.4 Thickness of coating.....	8
8 Calibration and adjustment of the glossmeter	8
8.1 Preparation of the apparatus.....	8
8.2 Zero point check.....	8
8.3 Calibration and adjustment.....	9
9 Procedure	9
9.1 Selection of geometry.....	9
9.2 Gloss measurement.....	9
10 Precision	10
10.1 General.....	10
10.2 Repeatability limit.....	10
10.3 Reproducibility limit.....	10
11 Test report	10
Annex A (normative) Possible sources of error	12
Annex B (normative) Calibration standards	15
Annex C (informative) Gloss calculation of primary reference standards	17
Annex D (informative) Details on precision	21
Bibliography	23