

SRI LANKA STANDARD 216:1973
UDC 668.736.3:547.65

SPECIFICATION FOR
NAPHTHA

BUREAU OF CEYLON STANDARDS

SPECIFICATION FOR NAPHTHA

SLS 216 : 1973

(Attached AMD 292)

Gr.6

Copyright reserved

BUREAU OF CEYLON STANDARDS
53, Dharmapala Mawatha,
Colombo 3,
Sri Lanka.

SRI LANKA STANDARD

SPECIFICATION FOR NAPHTHA

FOREWORD

This Sri Lanka Standard has been prepared by the Drafting Committee on Naphtha. It was approved by the Agricultural and Chemicals Divisional Committee of the Bureau of Ceylon Standards and was authorised for adoption and publication by the Council of the Bureau on 1973-09-10.

This standard specification is one of a series of Ceylon Standards on Petroleum Products. Values given in this standard are in SI units wherever possible.

The requirements stipulated in this standard specification is applicable to petroleum naphthas recovered from the processing of crude oil.

This standard specification covers all grades of naphthas keeping all the end uses in view. Naphtha is used as the chief constituent of gasoline, as a solvent and in the manufacture of petro-chemicals.

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test, shall be rounded off in accordance with CS 102 Presentation of numerical values. The number of figures to be retained in the rounded off value shall