

SRI LANKA STANDARD 1081 : Part 4 : 2009
IEC 60317-8 : 1997

SPECIFICATION FOR WINDING WIRES
PART 4 : POLYESTERIMIDE ENAMELLED
ROUND COPPER WIRE, CLASS 180
(First Revision)

SRI LANKA STANDARDS INSTITUTION

Sri Lanka Standard
SPECIFICATION FOR WINDING WIRES
PART 4 : POLYESTERIMIDE ENAMELLED ROUND COPPER WIRE, CLASS 180
(First Revision)

SLS 1081 : Part 4 : 2009
IEC 60317-8 : 1997

Gr. E

Copyright Reserved
SRI LANKA STANDARDS INSTITUTION
17, Victoria Place
Elvitigala Mawatha
Colombo 08
Sri Lanka

Sri Lanka Standard
SPECIFICATION FOR WINDING WIRES
PART 4 : POLYESTERIMIDE ENAMELLED ROUND COPPER WIRE, CLASS 180
(First Revision)

NATIONAL FOREWORD

This standard was approved by the Sectoral Committee on Electric Cables and Conductors and was authorized for adoption and publication as a Sri Lanka Standard by the Council of Sri Lanka Standards Institution on 2009-10-28.

This is the first revision of **SLS 1081 : Part 4 : 1995** and identical with **IEC 60317-8 : Specifications for particular types of winding wires, Part 4 : Polyesterimide enamelled round copper wire, class 180, Edition 3.2 1997-12**, published by the International Electrotechnical Commission (IEC).

Terminology and Conventions

The text of the International Standard has been accepted as suitable for publication, without deviation, as a Sri Lanka Standard. However, certain terminology and conventions are not identical with those used in Sri Lanka Standards.

Attention is therefore drawn to the following:

- a) Wherever the words “International Standard” appear referring to this standard they should be interpreted as “Sri Lanka Standard”.
- b) Wherever the page numbers are quoted they are page numbers of IEC standard.
- c) The coma has been used throughout as a decimal marker. In Sri Lanka Standards it is the current practice to use a full point on the base line as the decimal marker.

Cross references

International Standard

Corresponding Sri Lanka Standard

IEC 60317-0-1: 2000 : Specifications
for particular types of Winding wires.
Part 0 : General Requirements
Section 1 : Enamelled round copper wire.



INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Specifications for particular types of winding wires –
Part 8: Polyesterimide enamelled round copper wire, class 180**

**Spécifications pour types particuliers de fils de bobinage –
Partie 8: Fil de section circulaire en cuivre émaillé avec polyesterimide,
classe 180**



CONTENTS

	Page
FOREWORD	5
INTRODUCTION	7
Clause	
1 Scope	9
2 Normative references	9
3 Definitions and general notes on methods of test	9
4 Dimensions	11
5 Electrical resistance	11
6 Elongation	11
7 Springiness	11
8 Flexibility and adherence	11
9 Heat shock	11
10 Cut-through	11
11 Resistance to abrasion	11
12 Resistance to solvents	13
13 Breakdown voltage	13
14 Continuity of insulation	13
15 Temperature index	13
16 Resistance to refrigerants	15
17 Solderability	17
18 Heat or solvent bonding	17
19 Dielectric dissipation factor	17
20 Resistance to transformer oil	17
21 Loss of mass	17
22 High temperature failure	17
30 Packaging	17