

SRI LANKA STANDARD 1196 : PART 6 : 2000
UDC 665.72

**CODE OF PRACTICE FOR
TRANSPORT, STORAGE AND
HANDLING OF LPG
PART 6 : USE OF LPG IN CYLINDERS AT RESIDENTIAL
PREMISES**

SRI LANKA STANDARDS INSTITUTION

**CODE OF PRACTICE FOR TRANSPORT, STORAGE AND
HANDLING OF LPG
PART 6 : USE OF LPG IN CYLINDERS AT RESIDENTIAL PREMISES**

SLS 1196 : Part 6 : 2000

Gr. 4

**SRI LANKA STANDARDS INSTITUTION
No. 17, Victoria Place
Elvitigala Mawatha
Colombo 08.
SRI LANKA**

SRI LANKA STANDARD
CODE OF PRACTICE FOR TRANSPORT, STORAGE AND
HANDLING OF LPG
PART 6 : USE OF LPG IN CYLINDERS AT RESIDENTIAL PREMISES

FOREWORD

This standard was approved by the Sectoral Committee on Liquefied Petroleum Gas Industry and was authorized for adoption and publication as a Sri Lanka Standard by the Council of the Sri Lanka Standards Institution on 2000-09-21.

The objective of this part of the Code of Practice is to provide guidance primarily to dealers, stockists, installers, users and authorities for the safe use of LPG in cylinders at residential premises.

The other parts of this Code of practice are as follows:

- Part 1 : General provisions
- Part 2 : Design installation and maintenance of bulk LPG storage at fixed installation
- Part 3 : LP Gas piping system - Design and installation
- Part 4 : Safe filling of LP gas at depots
- Part 5 : Storage of full and empty LPG cylinders and cartridges
- Part 7 : Transport of LP gas in cylinders by road, rail or on water
- Part 8 : Safe handling and transport of LPG in bulk by road

The Sri Lanka Standards Institution gratefully acknowledges the use of the following publications, in the preparation of this code:

- a. **Code of practice number 24** - Part 2: 1998 - Use of butane in cylinders at residential premises; published by the Liquefied Petroleum Gas Industry Technical Association (UK).

1 SCOPE

1.1 This part of the Code of Practice covers the installation and safe use of LPG in cylinders at residential premises.

1.2 Cylinders covered by this code are refillable and designed, manufactured and maintained in accordance with **SLS 1178**.