

**SRI LANKA STANDARD 564 : 1982**

UDC 667.633.22

**SPECIFICATION FOR  
EMULSION DISTEMPER PAINTS**

**BUREAU OF CEYLON STANDARDS**

# SPECIFICATION FOR EMULSION DISTEMPER PAINTS

SLS 564:1982

Gr. 6

*Copyright Reserved*

BUREAU OF CEYLON STANDARDS

53, Dharmapala Mawatha,

Colombo 3,

Sri Lanka.

# SRI LANKA STANDARD SPECIFICATION FOR EMULSION DISTEMPER PAINTS

## FOREWORD

This Sri Lanka Standard was authorized for adoption and publication by the Council of the Bureau of Ceylon Standards on 1982-05-24, after the draft, finalised by the Drafting Committee on Paints had been approved by the Chemicals Divisional Committee.

This specification covers emulsion type distemper paint supplied in paste form. Distemper paint coatings are more desirable than the ordinary white-wash because of their better adhesion to the substrate.

All standard values given in this specification are given in SI units.

For the purpose of deciding whether a particular requirement of this specification is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with CS 102. The number of significant places retained in the rounded off value, should be the same as that of the specified value in this specification.

In the preparation of this specification, the assistance obtained from the publications of the Indian Standards Institution is gratefully acknowledged.

## 1 SCOPE

This specification prescribes the requirements and the methods of sampling and test for emulsion distemper, colour as required. The material is used as a flat finish for interior decorative purposes on walls, ceilings e.t.c.

## 2 REFERENCES

- CS 102 Presentation of numerical values
- SLS 489 Glossary of terms for paints