

**SRI LANKA STANDARD 769 : 1986**

**UDC 674.058.5**

**SPECIFICATION FOR  
HAND HAMMERS**

**SRI LANKA STANDARDS INSTITUTION**

# SPECIFICATION FOR HAND HAMMERS

SLS 769 : 1986

Gr. 13

*Copyright Reserved*

SRI LANKA STANDARDS INSTITUTION

53, Dharmapala Mawatha,

Colombo 3,

Sri Lanka.

# SRI LANKA STANDARD SPECIFICATION FOR HAND HAMMERS

## FOREWORD

This Sri Lanka Standard was authorised for adoption and publication by the Council of the Sri Lanka Standards Institution on 1986-12-17, after the draft finalised by the Drafting Committee on Hand Hammers, had been approved by the Mechanical Engineering Divisional Committee.

All standard values given in this specification are in SI units.

Hammer heads and handles shall be supplied as separate items. However, complete item "Hammer" may be supplied as agreed between manufacturer and purchaser.

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or an analysis, shall be rounded off in accordance with **SLS 102**. The number of significant figures to be retained in the rounded off value shall be the same as that of the specified value in this standard.

The assistance derived from the publications of the American National Standards Institution, British Standards Institution, Bureau of Indian Standards and the South African Bureau of Standards in the preparation of the standard is gratefully acknowledged.

## 1 SCOPE

This Sri Lanka Standard covers the requirements for hand hammers of types specified in **3**. Specifications for handles are also provided.

## 2 REFERENCES

- |     |     |   |
|-----|-----|---|
| SLS | 8   | Wire nails.                                     |
| SLS | 102 | Presentation of numerical values.               |
| SLS | 122 | Vickers hardness test.                          |
| SLS | 145 | Rockwell hardness test.                         |
| SLS | 146 | Brinell hardness test.                          |
| SLS | 263 | Building Timber<br>Part 2 : Permissible defects |
| SLS | 428 | Random Sampling Methods.                        |