SRI LANKA STANDARD 948: PART 3:1991

UDC 621.316.541

SPECIFCATION FOR

THREE PIN PLUGS, SOCKET - OUTLETS AND SOCKET - OUTLET ADAPTORS

PART 3 - SWITCHED SOCKET - OUTLETS

SRI LANKA STANDARDS INSTITUTION

SPECIFICATION FOR THREE-PIN PLUGS, SOCKET-OUTLETS AND SOCKET-OUTLET ADAPTORS

PART 3 : SWITCHED SOCKET-OUTLETS

SLS 948:Part 3:1991

(Attached AMD 272 and AMD 350)

Gr. 6

Copyright Reserved

SRI LANKA STANDARDS INSTITUTION

53, Dharmapala Mawatha,

Colombo 3,

Sri Lanka.

SPECIFICATION FOR THREE-PIN PLUGS, SOCKET-OUTLETS AND SOCKET-OUTLET ADAPTORS

PART 3: SWITCHED SOCKET-OUTLETS

FOREWORD

This standard was authorized for adoption and publication as a Sri Lanka Standard by the Council of the Sri Lanka Standards Institution on 1991.12.31, after the draft, finalized by the Drafting Committee on Electrical accessories, had been approved by the Electrical Engineering Divisional Committee.

This standard supersedes SLS 512: 1981, and is presented in three parts, namely;

Part 1 Plugs, socket-outlets and adaptors,

Part 2 Plugs made of resilient materials and

Part 3 Switched socket-outlets.

All values given in this specification are in SI Units.

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the results of a test or an analysis shall be rounded off in accordance with CS 102. The number of figures to be retained in the rounded off values shall be the same as that of the specified value in this standard.

The Sri Lanka Standards Institution gratefully acknowledges the use of the publications of the British Standards Institution in the preparation of this standard.

1 SCOPE

This specification relates to 5-ampere and 15-ampere socket-outlets which contain a switch connected between the current carrying contact(s) of the socket-outlet and the relevant supply terminal(s) for use in a.c. circuits only.

2 REFERENCES

CS 102 Presentation of numerical values

SLS 268 ISO metric screw threads.

Part 6 Limits of sizes for commercial bolts and nuts

SLS 879 PVC insulated flexible cords.

Part 1 Requirements.

SLS 948 Three-pin plugs, socket-outlets and socket-outlet adaptors

Part 1 Plugs socket outlets and adaptors.