

SRI LANKA STANDARD 1256 : PART 15 : 2008
ISO 2808 : 2007

**METHODS OF TEST FOR
PAINTS AND VARNISHES
PART 15 : DETERMINATION OF FILM THICKNESS
(First Revision)**

SRI LANKA STANDARDS INSTITUTION

Sri Lanka Standard
METHODS OF TEST FOR PAINTS AND VARNISHES
PART 15 : DETERMINATION OF FILM THICKNESS
(First Revision)

SLS 1256 : Part 15 : 2008
ISO 2808 : 2007

Gr. R

SRI LANKA STANDARDS INSTITUTION
17, Victoria Place
Elvitigala Mawatha
Colombo - 08
Sri Lanka.

Sri Lanka Standard
METHODS OF TEST FOR PAINTS AND VARNISHES
PART 15: DETERMINATION OF FILM THICKNESS
(First Revision)

NATIONAL FOREWORD

This Sri Lanka Standard was approved by the Sectoral Committee on Chemical and Polymer Technology and authorized for adoption and publication as a Sri Lanka Standard by the council of the Sri Lanka Standards Institution on 2008-08-28.

This standard was first published in 2005 which superseded CS 70: 1969 and SLS 535: Part 3 : Section 3.7. This First Revision is issued for SLS 1256 Methods of tests for paints and varnishes Part 15 Determination of film thickness since ISO 2808 has been revised in 2007. This First Revision is identical with ISO 2808:2007 Paints and varnishes- Determination of film thickness published by the International Organization for Standardization.

The text of the International Standard has been accepted as suitable for publication without deviation as a Sri Lanka Standard. However certain terminology and convention are not identical with those used in Sri Lanka Standards. Attention is therefore drawn to the following:

TERMINOLOGY AND CONVENTIONS

- a) Wherever the words International Standard appear referring to this standard, they should be interpreted as Sri Lanka Standard.
- b) The comma has been used throughout as a decimal marker. In Sri Lanka Standards it is the current practice to use the full point at the base as the decimal marker.
- c) Wherever page numbers are quoted, they are ISO/IEC numbers.

INTERNATIONAL STANDARD

ISO
2808

Fourth edition
2007-02-01

Paints and varnishes — Determination of film thickness

Peintures et vernis — Détermination de l'épaisseur du feuil



Reference number
ISO 2808:2007(E)

Contents

Page

| | |
|--|----------|
| Foreword..... | v |
| Introduction | vi |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 1 |
| 4 Determination of wet-film thickness | 3 |
| 4.1 General | 3 |
| 4.2 Mechanical methods | 3 |
| 4.2.1 Principle | 3 |
| 4.2.2 Field of application | 3 |
| 4.2.3 General | 3 |
| 4.2.4 Method 1A — Comb gauge | 4 |
| 4.2.5 Method 1B — Wheel gauge | 5 |
| 4.2.6 Method 1C — Dial gauge | 6 |
| 4.3 Gravimetric method | 7 |
| 4.3.1 Principle | 7 |
| 4.3.2 Field of application | 7 |
| 4.3.3 General | 7 |
| 4.3.4 Method 2 — By difference in mass | 7 |
| 4.4 Photothermal method | 8 |
| 4.4.1 Principle | 8 |
| 4.4.2 Field of application | 8 |
| 4.4.3 General | 9 |
| 4.4.4 Method 3 — Determination using thermal properties | 9 |
| 5 Determination of dry-film thickness | 9 |
| 5.1 General | 9 |
| 5.2 Mechanical methods | 9 |
| 5.2.1 Principle | 9 |
| 5.2.2 Field of application | 10 |
| 5.2.3 General | 10 |
| 5.2.4 Method 4A — By difference in thickness | 11 |
| 5.2.5 Method 4B — Depth gauging | 13 |
| 5.2.6 Method 4C — Surface profile scanning | 15 |
| 5.3 Gravimetric method | 16 |
| 5.3.1 Principle | 16 |
| 5.3.2 Field of application | 16 |
| 5.3.3 General | 16 |
| 5.3.4 Method 5 — By difference in mass | 16 |
| 5.4 Optical methods | 17 |
| 5.4.1 Principle | 17 |
| 5.4.2 Field of application | 18 |
| 5.4.3 General | 18 |
| 5.4.4 Method 6A — Cross-sectioning | 19 |
| 5.4.5 Method 6B — Wedge cut | 20 |
| 5.5 Magnetic methods | 20 |
| 5.5.1 General | 20 |
| 5.5.2 Principle | 20 |
| 5.5.3 Field of application | 20 |
| 5.5.4 General | 21 |

| | | |
|-------|---|----|
| 5.5.5 | Method 7A — Magnetic pull-off gauge..... | 21 |
| 5.5.6 | Method 7B — Magnetic-flux gauge | 22 |
| 5.5.7 | Method 7C — Magnetic-induction gauge | 22 |
| 5.5.8 | Method 7D — Eddy-current gauge | 23 |
| 5.6 | Radiological method | 24 |
| 5.6.1 | Principle | 24 |
| 5.6.2 | Field of application | 24 |
| 5.6.3 | General | 24 |
| 5.6.4 | Method 8 — Beta backscatter method | 25 |
| 5.7 | Photothermal method | 25 |
| 5.7.1 | Principle | 25 |
| 5.7.2 | Field of application | 26 |
| 5.7.3 | General | 26 |
| 5.7.4 | Method 9 — Determination using thermal properties | 27 |
| 5.8 | Acoustic method | 27 |
| 5.8.1 | Principle | 27 |
| 5.8.2 | Field of application | 27 |
| 5.8.3 | General | 27 |
| 5.8.4 | Method 10 — Ultrasonic thickness gauge | 28 |
| 6 | Determination of thickness of uncured powder layers | 28 |
| 6.1 | General | 28 |
| 6.2 | Gravimetric method | 29 |
| 6.2.1 | Principle | 29 |
| 6.2.2 | Field of application | 29 |
| 6.2.3 | General | 29 |
| 6.2.4 | Method 11 — By difference in mass | 29 |
| 6.3 | Magnetic methods..... | 29 |
| 6.3.1 | Principle | 29 |
| 6.3.2 | Field of application | 29 |
| 6.3.3 | General | 30 |
| 6.3.4 | Method 12A — Magnetic-induction gauge | 30 |
| 6.3.5 | Method 12B — Eddy-current gauge | 31 |
| 6.4 | Photothermal method | 31 |
| 6.4.1 | Principle | 31 |
| 6.4.2 | Field of application | 31 |
| 6.4.3 | General | 31 |
| 6.4.4 | Method 13 — Determination using thermal properties | 31 |
| 7 | Measurement of film thickness on rough surfaces | 32 |
| 7.1 | General | 32 |
| 7.2 | Apparatus and materials | 33 |
| 7.3 | Procedure..... | 33 |
| 7.3.1 | Verification | 33 |
| 7.3.2 | Measurement | 33 |
| 7.3.3 | Number of readings | 33 |
| 8 | Test report..... | 33 |
| | Annex A (informative) Overview of methods | 35 |
| | Bibliography | 38 |