

SRI LANKA STANDARD 1256: PART 46: 2019
(ISO 4628-4: 2016)
UDC 667.661

**METHODS OF TEST FOR
PAINTS AND VARNISHES
PART 46: DETERMINATION OF DEGREE
OF CRACKING**

SRI LANKA STANDARDS INSTITUTION

Sri Lanka Standard
METHODS OF TEST FOR PAINTS AND VARNISHES
PART 46: DETERMINATION OF DEGREE OF CRACKING

SLS 1256: Part 46: 2019
(ISO 4628-4: 2016)

Gr. H

Copyright Reserved
SRI LANKA STANDARDS INSTITUTION
17, Victoria Place
Elvitigala Mawatha
Colombo - 08
Sri Lanka.

Sri Lanka Standard
METHODS OF TEST FOR PAINTS AND VARNISHES
PART 46: DETERMINATION OF DEGREE OF CRACKING

NATIONAL FOREWORD

This Standard was approved by the Sectoral Committee on Chemical and Polymer Technology and authorized for adoption and publication as a Sri Lanka Standard by the Council of the Sri Lanka Standards Institution on 2019-09-11.

The text of the International Standard ISO 4628-4: 2016 Paints and varnishes – Evaluation of degradation of coatings- Designation of quantity and size of defects, and of intensity of uniform changes in appearance Part 4: Assessment of degree of cracking has been accepted for adoption as a Sri Lanka Standard. It specifies a method for assessing the degree of cracking of coatings by comparison with pictorial standards.

This Sri Lanka Standard is identical with ISO 4628-4: 2016 Paints and varnishes – Evaluation of degradation of coatings- Designation of quantity and size of defects, and of intensity of uniform changes in appearance Part 4: Assessment of degree of cracking, published by the International Organization for Standardization (ISO).

TERMINOLOGY AND CONVENTIONS

The text of the International Standard has been accepted as suitable for publication, without deviation, as a Sri Lanka Standard. However, certain terminology and conventions are not identical with those used in Sri Lanka Standards. Attention is therefore drawn to the following:

- a) Wherever the words “International Standard” appear referring to a particular Standards they should be interpreted as “Sri Lanka Standard”.
- b) The comma has been used throughout as a decimal marker. In Sri Lanka Standards it is the current practice to use the full point at the base as the decimal marker.
- c) Wherever page numbers are quoted, they are ISO/IEC page numbers.

Cross References

International Standard	Corresponding Sri Lanka Standard
ISO 13076, Paints and varnishes — Lighting and procedure for visual assessments of coatings	No corresponding Sri Lanka Standards

**Paints and varnishes — Evaluation
of degradation of coatings —
Designation of quantity and size of
defects, and of intensity of uniform
changes in appearance —**

Part 4:
Assessment of degree of cracking

*Peintures et vernis — Évaluation de la dégradation des revêtements
— Désignation de la quantité et de la dimension des défauts, et de
l'intensité des changements uniformes d'aspect —*

Partie 4: Évaluation du degré de craquelage

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Assessment	1
5 Expression of results	2
6 Test report	3
Annex A (informative) Examples for types of cracking	6
Bibliography	15