

මෙය රාජ්‍ය භාෂාවෙන් වෙනම මුද්‍රණය කර ඇත.

ශ්‍රී ලංකා ප්‍රමිති 247 : 1973
SRI LANKA STANDARD 247 : 1973
විශ්ව දහම වර්ග කිරීම UDC 668.526.752

කරාඹු නැටි තෙල් පිළිබඳ පිරිවිතර
SPECIFICATION FOR OIL OF
CLOVE BUD

ලංකා ප්‍රමිති කාර්යාංශය
BUREAU OF CEYLON STANDARDS

SPECIFICATION FOR OIL OF CLOVE BUD

S. L. S. 247 : 1973

Gr.4

~~XXXXXXXXXX~~

Copyright Reserved

BUREAU OF CEYLON STANDARDS
53, DHARMAPALA MAWATHA,
COLOMBO 3.

Sri Lanka Standards are subject to periodical revision in order to accommodate the progress made by industry. Suggestions for improvement will be recorded and brought to the notice of the Committees to which the revisions are entrusted.

This Standard does not purport to include all the necessary provisions of a contract.

**BUREAU OF CEYLON STANDARDS
53, DHARMAPALA MAWATHA,
COLOMBO 3.**

Telephone: 26055
26054
26051

Telegrams: "PRAMIKA"

SRI LANKA STANDARD SPECIFICATION FOR OIL OF CLOVE BUD

FOREWORD

This Sri Lanka Standard has been prepared by the Drafting Committee on Essential Oils. It was approved by the Agricultural and Chemicals Divisional Committee of the Bureau of Ceylon Standards and was authorised for adoption and publication by the Council of the Bureau on 5th December, 1973.

The oil of Clove bud is used extensively in the flavouring and cosmetic industries.

In the preparation of this standard the assistance derived from the publications of the British Standards Institution is acknowledged.

1. SCOPE

This Sri Lanka Standard defines certain characteristics of oil of clove bud with a view to facilitating assessment of its quality.

2. DEFINITION

The oil shall be the product obtained by steam distillation of the dried flower buds of *Eugenia caryophyllus* (Sprengel) Bullock and Harrison.

3. DESCRIPTION

The oil is colourless to yellow and has a characteristic odour of clove.

4. REQUIREMENTS

- 4.1 **Odour and flavour** - The assessment of odour and flavour shall be subject to agreement between the interested parties.
- 4.2 **General appearance** - The oil shall be clear, free from sediment, suspended matter, residual water and added adulterants.
- 4.3 **Specific gravity at 30°C/30°C** - The specific gravity of the oil at 30°C, when determined by the method described in Appendix A, shall be not less than 1.035 and not greater than 1.057.
- 4.4 **Refractive index** - The refractive index of the oil at 30°C, when determined by the method described in Appendix B, shall be not less than 1.5230 and not greater than 1.5310.