SRI LANKA STANDARD 404 PART 3 SECTION 1: 2018 (ISO 3377-1: 2011) UDC 675.017

METHODS FOR PHYSICAL AND MECHANICAL TEST OF LEATHER PART 3: DETERMINATION OF TEAR LOAD SECTION 1: SINGLE EDGE TEAR (Second Revision)

SRI LANKA STANDARDS INSTITUTION

Sri Lanka Standard METHODS FOR PHYSICAL AND MECHANICAL TEST OF LEATHER PART 3: DETERMINATION OF TEAR LOAD SECTION 1: SINGLE EDGE TEAR (Second Revision)

SLS 404 Part 3 Section 1: 2018 (ISO 3377-1: 2011)

Gr. B

Copyright Reserved SRI LANKA STANDARDS INSTITUTION 17, Victoria Place Elvitigala Mawatha Colombo - 08 Sri Lanka.

Sri Lanka Standards METHODS FOR PHYSICAL AND MECHANICAL TEST OF LEATHER PART 3: DETERMINATION OF TEAR LOAD SECTION 1: SINGLE EDGE TEAR (Second Revision)

NATIONAL FOREWORD

This Sri Lanka Standard was approved by the Sectoral Committee on Leather and Leather products, and was authorized for adoption and publication as a Sri Lanka Standard by the Council of the Sri Lanka Standards Institution on 2018-11-16.

This Sri Lanka Standard is the second revision of SLS **404**: **2011** Method for physical and mechanical test of leather - Part 3 - Determination of tear load - Section 1 - Single edge tear. The International Standard ISO **3377** Part 1: **2011** which specifies a method of determination of single edge tear load of leather, has been accepted for adoption as **SLS 404** Part **3 Section 1: 2018** considering the important technical changes in 2016 standard.

This Sri Lanka Standard is identical with ISO 3377, Leather – Physical and Mechanical tests - Determination of tear load - Part 1 - Single edge tear, published by the International Organization for Standardization (ISO).

TERMINOLOGY AND CONVENTIONS

The text of the International Standard has been accepted as suitable for publication without deviation, as a Sri Lanka Standard. However certain terminology and conventions are not identical with those used in Sri Lanka Standards. Attention is therefore drawn to the following:

- a) Wherever the words "International Standard" appear referring to this standard they should be interpreted as "Sri Lanka Standard".
- b) The comma has been used throughout as a decimal marker. In Sri Lanka Standards it is the current practice to use the full point at the base as the decimal marker.
- c) Whenever page numbers are quoted, they are ISO page numbers.

SLS 404 Part 3 Section 1: 2018 INTERNATIONAL **STANDARD**

IULTCS/IUP 40-1

Second edition 2011-12-15

ISO

3377-1

Leather — Physical and mechanical tests — Determination of tear load —

Part 1: Single edge tear

Cuir — Essais physiques et mécaniques — Détermination de la force de déchirement ----

Partie 1: Déchirement d'un seul bord



Reference number ISO 3377-1:2011(E) IULTCS/IUP 40-1:2011(E)