

**SRI LANKA STANDARD 558 : 1982**

UDC 667.637



**SPECIFICATION FOR  
SYNTHETIC RESIN BASED VARNISH**

**BUREAU OF CEYLON STANDARDS**

# SPECIFICATION FOR SYNTHETIC RESIN BASED VARNISH

SLS 558 : 1982

Gr. 6

*Copyright Reserved*

BUREAU OF CEYLON STANDARDS  
53, Dharmapala Mawatha,  
Colombo 3,  
Sri Lanka.

# SRI LANKA STANDARD SPECIFICATION FOR SYNTHETIC RESIN BASED VARNISH

## FOREWORD

This Sri Lanka Standard was authorised for adoption and publication by the Council of the Bureau of Ceylon Standards on 1982-03-18, after the draft, finalized by the Drafting Committee on Paints had been approved by the Chemicals Divisional Committee.

This specification covers varnish suitable for applications where chemical resistance and heat resistance are important criteria.

All standard values in this specification are given in SI units.

For the purpose of deciding whether a particular requirement of this specification is complied with the final value observed or calculated, expressing the result of a test or analysis shall be rounded off in accordance with CS 102. The number of significant places retained in the rounded off value should be the same as that of the specified value in this specification.

In the preparation of this specification, the assistance obtained from the publications of the Indian Standards Institution is gratefully acknowledged.

## 1 SCOPE

This specification prescribes requirements and methods of sampling and test for the material commercially known as varnish, based on synthetic resins. The material is used in painting systems for protection and decoration.

## 2 REFERENCES

- CS 33 Laundry soap
- CS 102 Presentation of numerical values
- SLS 341 Specification for black letterpress ink for general purposes
- SLS 489 Glossary of terms for paints
- SLS 523 Methods of sampling paints
- SLS 535 Methods of test for paints