

SRI LANKA STANDARD 595:1982
UDC 665.582

SPECIFICATION FOR
KEROSINE

BUREAU OF CEYLON STANDARDS

SPECIFICATION FOR KEROSENE

SLS 595:1982
(Attached AMD 278)

Gr. 4

Copyright Reserved

BUREAU OF CEYLON STANDARDS

53, Dharmapala Mawatha,

Colombo 3,

Sri Lanka.

SRI LANKA STANDARD SPECIFICATION FOR KEROSENE

FOREWORD

This Sri Lanka Standard was authorized for adoption and publication by the Council of the Bureau of Ceylon Standards on 1982-11-24 after the draft, finalized by the Drafting Committee on Petroleum Products had been approved by the Chemicals Divisional Committee.

In the formulation of this specification, requirements such as, burning quality, flash point and smoke point have been carefully considered to suit the conditions of the country and at the same time fall in line with International Standards.

All standard values in this specification are given in SI units.

For the purpose of deciding whether a particular requirement of this specification is complied with, the final value, observed or calculated, expressing the result of a test or analysis shall be rounded off in accordance with CS 102. The number of significant places retained in the rounded off value should be the same as that of the specified value in this specification.

In the preparation of this specification, the assistance obtained from the publications of the Indian Standards Institution and the American Society for Testing and Materials is gratefully acknowledged.

1 SCOPE

This specification prescribes the requirements and methods of sampling and test for kerosine intended for use as an illuminant and as a fuel, except for aviation.

2 REFERENCES

- CS 102 Presentation of numerical values
- SLS 216 Naphtha
- SLS 561 Methods of sampling petroleum and petroleum products
 - Part 1 Manual sampling of liquid hydrocarbons
 - Part 2 Automatic pipeline sampling of liquid hydrocarbons
- SLS 584 Methods of test for petroleum and petroleum products
- SLS ... Glossary of terms for petroleum (under preparation)