

SRI LANKA STANDARD 601:PART 1:1983
UDC 666.17

SPECIFICATION FOR
GLASS CONTAINER FINISHES
PART 1 — THREADED FINISHES

BUREAU OF CEYLON STANDARDS

SPECIFICATION FOR GLASS CONTAINER FINISHES
PART 1 : THREADED FINISHES

SLS 601:Part 1:1983

Gr. 8

Copyright Reserved

BUREAU OF CEYLON STANDARDS

53, Dharmapala Mawatha,

Colombo 3,

Sri Lanka.

SRI LANKA STANDARD
SPECIFICATION FOR GLASS CONTAINER FINISHES
PART 1 : THREADED FINISHES

FOREWORD

This Sri Lanka Standard specification was authorized for adoption and publication by the Council of the Bureau of Ceylon Standards on 1983-01-17, after the draft, finalized by the Drafting Committee on Glass Products, had been approved by the Mechanical Engineering Divisional Committee.

This part is one of a series of standards on glass container finishes. Other parts covering Crown finish, Omnia finish, Lug finish and Aluminium foil cap type finish are being issued. A complete list of such standards may be obtained from the Bureau of Ceylon Standards.

All standard values given in this specification are in SI units.

For the purpose of deciding whether a particular requirement of this specification is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with CS 102. The number of significant places retained in the rounded off value shall be the same as that of the specified value in this specification.

In the preparation of this specification, the assistance obtained from the publications of the International Organization for Standardization, the British Standards Institution and the Indian Standards Institution is gratefully acknowledged.