

**ශ්‍රී ලංකා ප්‍රමිතිය 1134 : 2011**  
**SRI LANKA STANDARD 1134 : 2011**  
UDC 003.035 : 003.336

**තොරතුරු හුවමාරුව සඳහා වූ සිංහල  
අක්ෂර කේතය  
(තෙවන ප්‍රතිශෝධනය)**  
**SINHALA CHARACTER CODE FOR  
INFORMATION INTERCHANGE  
(THIRD REVISION)**

**SRI LANKA STANDARDS INSTITUTION**



**SRI LANKA STANDARDS INSTITUTION  
SINHALA CHARACTER CODE FOR INFORMATION  
INTERCHANGE  
(THIRD REVISION)**

**SLS 1134 : 2011**

**Gr. 11**

*Copyright Reserved*  
**SRI LANKA STANDARDS INSTITUTION  
No. 17, Victoria Place  
Elvitigala Mawatha  
Colombo 08  
SRI LANKA**

Sri Lanka Standards are subject to periodic revision in order to accommodate the progress made by the industry. Suggestions for improvement will be recorded and brought to the notice of the Committees to which the revisions are entrusted.

This standard does not purport to include all the necessary provisions of a contract.

## CONTENTS

	<b>Page</b>
Foreword	3
1 Scope	4
2 Definitions	4
3 Description of the Sinhala Language	5
4 Character Encoding	13
5 Code Sequences	14
6 Keyboard Input	23
7 Keyboard Layout	28
<b>Figures</b>	
1 Figure 1 – Sinhala Lith Illakkam	11
2 Figure 2 – Sinhala Illakkam	12
3. Figure 3 – Encoding of Sinhala Characters, Numerals and other symbols	15
4. Figure 4 – Sinhala Illakkam	16
5. Figure 5 – Differentiating Sinhala numerals from Sinhala characters	20
6. Figure 6 - Standard keyboard layout	30
<b>Tables</b>	
1 Table 1 – Strokes, their names and vowel representation	8
2 Table 2 – Combination of the consonant ක (k) with vocalic strokes	9
3 Table 3 – Combination of the consonant ක (k) with vocalic and non-vocalic strokes	10
4 Table 4 – Names of the Characters	17
5 Table 5 – Special keys and symbols	28



**Sri Lanka Standard**  
**SINHALA CHARACTER CODE FOR INFORMATIONINTERCHANGE**  
**(Third Revision)**

**FOREWORD**

This standard was approved by the Sectoral Committee on Information Technology and was authorised for adoption and publication as a Sri Lanka Standard by the Council of the Sri Lanka Standards Institution on 2011-07- 29.

The International Organisation for Standardisation accepted **SLS 1134** Sinhala Character Code for Information Interchange for inclusion in **ISO/IEC 10646-1** with the modifications effected in the first revision (**SLS 1134 : 2001**) and in second revision (**SLS 1134 : 2011**).

This is the third revision of **SLS 1134**. Sinhala numerals were not included in the previous versions of SLS 1134. Subsequent to research carried out under the aegis of the Information and Communication Technology Agency of Sri Lanka, two sets of Sinhala numerals were identified for encoding: Sinhala Illakkam and Sinhala Lith Illakkam. This revision provides shapes, code points, and keystrokes for the above two sets of numerals. This revision retains compliance with **ISO/IEC 10646**.

Symbols used in the Sinhala language which include Sinhala Lith Illakkam are coded using 128 cells starting from U+0D80 to U+0DFF of the Basic Multilingual Plane (BMP) reserved for Sinhala characters in **ISO/IEC 10646**. Sinhala Illakkam are encoded in the Supplementary Multilingual Plane (SMP) starting from U+111E0 to U+111FF, the range which is exclusively reserved for the above historical numeral set. Each cell or position given in Figure 3 of the standard represents one character.

An effort has been made to preserve the alphabetical order of the Sinhala language to a great extent. However, specific collation algorithms (specified in Part 1 of this standard) are required to correctly collate text encoded in this code.

In the preparation of this standard the valuable assistance obtained from the following publications is gratefully acknowledged.

**ISO/IEC 10646 : 2011** Information Technology – Universal Multiple Octet Coded Character Set.

The Unicode Consortium: **The Unicode Standard Version 6.0**

The assistance provided by the Information and Communication Technology Agency of Sri Lanka (ICTA) in the preparation of this standard is gratefully acknowledged.

## 1 SCOPE

This standard provides a coding of the set of Sinhala characters for use in computers and digital devices, and communication media. This standard character code set specifies a 7-bit code table (out of 16 bits) which may be used in line with the requirements outlined by the International Organisation for Standardisation (ISO).

In addition to storage, retrieval and machine to machine communication in Sinhala, it also includes provisions to co-exist with other languages as specified in **ISO/IEC 10646**.

This code set is able to represent contemporary and historical Sinhala writings.

This standard defines codes for the vowels, consonants, semi-consonants, signs, numerals and punctuation in the language. Some formations of the language are not represented by individual codes, but are constructed as sequences of codes. For example, many characters are formed by a consonant followed by a consonant modifier.

In designing this code set efforts were taken to retain the ability to incorporate future developments in the language.

It does not include editorial characters, abbreviations, subscripts, superscripts and punctuations, but in the keyboard layout, keys are provided for Indo-Arabic numerals, symbols and punctuation.

## 2 DEFINITIONS

For the purpose of this standard the following definitions shall apply:

**2.1 base character:** A character which may stand alone, or optionally combine with one or more combining characters.

**2.2 base letter:** A symbol from which letters are formed.

**2.3 character:** A unit of information used for the organisation, control, or representation of textual data.

**2.4 code table:** A table showing the characters allocated to the cells in the code.

**2.5 combining character:** A character which does not stand alone, but combines with another character.

**2.6 combining character sequence:** A sequence of characters, starting with a base character and zero or more combining characters, which represent a letter.

**2.7 composite character:** A character which is equivalent to a sequence of one or more other characters.

**2.8 conjunct letter:** Two or more letters joined together. In addition to the combination of a consonant with the yansaya, rakaaraansaya and repaya, pairs of consonants may form conjunct letters.



**2.9 consonant:** A letter representing a speech sound in which the breath is at least partly obstructed and which may combine with a vowel to form a syllable.

**2.10 consonant cluster:** Pure consonant followed by another consonant.

**2.11 letter:** A symbol representing a simple or compound sound used in speech. It may comprise a base letter, or a base letter together with one or more strokes.

**2.12 non-vocalic sign:** A graphic symbol associated with a base letter to indicate a consonant to be associated with that letter.

**2.13 pure consonant:** A consonant without an associated vowel, i.e., with an al-lakuna.

**2.14 semi-consonant:** A consonant that does not enjoy all the privileges of normal consonants and to be combined with the preceding vowel.

**2.15 sign:** One or more strokes.

**2.16 stroke:** A graphic symbol which modifies a base letter.

**2.17 vocalic sign:** A graphic symbol associated with a base letter to indicate the presence or absence of a vowel associated with that letter.

**2.18 vowel:** A letter representing a speech sound made with the vibration of the vocal cords, but without audible obstruction.

### 3 DESCRIPTION OF THE SINHALA LANGUAGE

Sinhala is a member of the Indo-European family of languages and the Indo-Aryan sub family, and the script bears close structural resemblance to Thai and Malayalam scripts. The Sinhala writing system is a syllabic Alphabet (Alphasyllabry or abugidas) derived from the ancient Indian script, Brahmi, and subsequently influenced by the Pallawa Grantha script of South India. The modern script used in writing Sinhala is unique to this language and is also used for writing Pali.

Sinhala differs from all other Indo-Aryan languages in that it contains a pair of vowel sounds that are unique to it. These are the two vowel sounds that are similar to the two vowel sounds that occur at the beginning of the English words, *at* and *ant*. The vowel sound in *at* is short, and the vowel sound in *ant* is long. The Sinhala alphabet has a pair of letters to represent these two sounds.

Short vowel:       අ - ae

Long vowel:       ඇ - aee

Another feature that distinguishes Sinhala from other Indo-Aryan languages is the presence of a set of five nasal sounds known as “half nasal” or “prenasalised stops”. These sounds as represented in modern Sinhala writing and their Romanised (transliterated) notation are as follows:

ඞ (nng), ඞ (nyj), ඞ (nndd), ඞ (nd), ඞ (mb)

The Sinhala alphabet (as defined below) consists of 61 letters: 18 vowels, 41 consonants and 2 semi-consonants.

<Sinhala alphabet>:: = <Vowels ><Consonants>< Semi-consonants>

These symbols represent 40 sounds: 14 vowel sounds and 26 consonant sounds.

The 61 letter symbols are given below together with their Romanised (transliterated) representations.

### 3.1 Vowels

The 18 vowels, unlike consonants, are used only at the beginning of words.

They are as follows:

අ	a	ආ	aa	ඈ	ae	ඹ	aee
ඉ	i	ඊ	ii	උ	u	ඌ	uu
ඹ෦	r	ඹ෦෦	rr	ඹ෦	!	ඹ෦	!!
එ	e	ඒ	ee	ඓ	ai		
ඔ	o	ඕ	oo	ඖ	au		

#### NOTES :

1. The letters ඹ and ඹ෦ which are based on the symbol අ are unique to the Sinhala language and have been in use since the 7<sup>th</sup> century.
2. ඹ෦ (ilu) and ඹ෦෦ (iluu) do not occur in present usage but are included in the code set for completeness of the code. They are not included in Tables 1 - 3.
3. ඹ෦෦ also does not occur in present usage, but its corresponding vowel sign, ො is used; for example, ොඹ෦෦ඹ෦෦.

### 3.2 Consonants

The Sinhala alphabet possesses 41 consonants as shown below with the Romanised notations as used in Unicode.

ක	ka	ඛ	kha	ග	ga	ඝ	gha	ඞ	nga	ඟ	nnga		
ච	ca	ඡ	cha	ජ	ja	ඣ	jha	ඤ	nya	ඥ	jnya	ඞ෦	nyja
ට	tta	ඨ	ttha	ඩ	dda	ඪ	ddha	ණ	nna	ඹ	nndda		
ත	ta	ඵ	tha	ද	da	ධ	dha	න	na	ඳ	nda		
ප	pa	ඵ෦	pha	බ	ba	භ	bha	ම	ma	ඹ෦	mba		
ය	ya	ර	ra	ල	la	ව	va						
ශ	sha	ෂ	ssa	ස	sa	හ	ha	ළ	lla	ආ	fa		

#### NOTES :

1. The consonant ඞ෦ (nyja) is included although it is not found in contemporary writing.
2. The letters ඤ and ඥ are identical in sound only in the initial position of a word for example ඤඹ෦ and ඥඹ෦. They are not identical in non-initial positions, where ඥ behaves as a combination of two consonant sounds, for example ජඥඹ෦.

### 3.3 Semi-consonants

“◌◌” and “◌◌” are the two semi-consonants available in the alphabet. Semi-consonants may appear only following a vowel or a consonant with an implicit or explicit vowel.

#### NOTES :

1. *The corresponding phonetic notations of semi-consonants are:*

◌◌ *ṃ*    ◌◌ *ḥ*

2. *These two characters have been placed at the beginning of the code set to facilitate collation.*

### 3.4 Strokes

Strokes (also known as modifiers) are graphical symbols used in conjunction with consonants. They are also used in writing some vowels (e.g. ආ, ඒ, ඓ). The strokes of the Sinhala script occur in two different forms; i.e., vocalic strokes and non-vocalic strokes.

<Stroke>                    ::= <Vocalic stroke>, <Non-vocalic stroke>

<Vocalic stroke>        ::= ට, ඡ, ජ, ඣ, ඤ, ඦ, ට, ඨ, ඩ, ණ, ඬ, ත, ථ, ද, ධ, ඳ, ප, ඵ, බ, භ, ඹ

<Non-Vocalic stroke> ::= ඹ, ය

Unlike in English, a stroke may be positioned on any of the four sides of the base letter. These can be classified as follows:

<Stroke>                ::= <Left stroke>, <Right stroke>, <Upper stroke>, <Lower stroke>

<Left stroke>        ::= ට

<Right stroke>     ::= ඡ, ජ, ඣ, ඤ, ඦ, ට, ඨ, ඩ, ණ, ඬ, ත, ථ, ද, ධ, ඳ, ප, ඵ, බ, භ, ඹ

<Upper stroke>    ::= ට, ඡ, ජ, ඣ, ඤ, ඦ, ට, ඨ, ඩ, ණ, ඬ, ත, ථ, ද, ධ, ඳ, ප, ඵ, බ, භ, ඹ

<Lower stroke>    ::= ට, ඡ, ජ, ඣ, ඤ, ඦ, ට, ඨ, ඩ, ණ, ඬ, ත, ථ, ද, ධ, ඳ, ප, ඵ, බ, භ, ඹ

The strokes, their names, and the vowels represented by them, are given in Table 1.

### 3.5 Letters

In Sinhala, a letter may be formed by a vowel alone, a consonant alone, or a consonant with one or more associated strokes. It may optionally include a semi-consonant.

Seventeen combinations of vocalic strokes with a consonant are used in Sinhala. These are listed in Table 2.

The non-vocalic strokes ඹ and ය represent the letter ඞ and ට respectively, following a pure consonant. They may appear alone, or together with vocalic strokes. If so, the vowel applies to the ඞ or ට and not the initial consonant. The valid combinations of vocalic strokes with the yansaya and rakaaraansaya (7 and 12 combinations respectively) are shown in Table 3.

A semi-consonant, ◌◌ or ◌◌, may appear after any of the letters in lines 2 to 17 in Table 2 and any of the letters in Table 3 (i.e., after any letter except a pure consonant), yielding a total of 109 possible letters based on a given consonant.

**TABLE 1 – Strokes, their names and vowel representation**

Sl. No. (1)	Stroke (2)	Name (3)	Vowel representation (4)
<b>Vocalic strokes</b>			
1	ᵀ	Sinhala al-lakuna 1	-
1a	ᵀ*	Sinhala al-lakuna 2	-
2	ᵇ	Sinhala aela-pilla	ආ
3	ᵇᵇ	Sinhala ketti aeda-pilla	ඇ
4	ᵇᵇ	Sinhala diga aeda-pilla	ඈ
5	ᵇᵇ	Sinhala ketti is-pilla	ඉ
6	ᵇᵇ	Sinhala diga is-pilla	ඊ
7	ᵇᵇ	Sinhala ketti paa-pilla 1	උ
7a	ᵇᵇ*	Sinhala ketti paa-pilla 2	උ
8	ᵇᵇ	Sinhala diga paa-pilla 1	ඌ
8a	ᵇᵇ*	Sinhala diga paa-pilla 2	ඌ
9	ᵇᵇ	Sinhala gaetta-pilla	ඍ
10	ᵇᵇ	Sinhala kombuva	ඎ
11	ᵇᵇ	Sinhala gayanukitta	ඏ
<b>Non Vocalic strokes</b>			
12	ᵇᵇ	Sinhala yansaya	refer note 3
13	ᵇᵇ	Sinhala rakaaraansaya	refer note 3
14	ᵇᵇ	Sinhala repaya	refer note 3

\*These strokes are shown with an associated character.

**NOTES :**

1. The **al-lakuna** removes the implicit vowel associated with a consonant, forming a pure consonant.
2. The shape of a stroke is dependent on the associated consonant, as shown in lines 1, 7 and 8 above.  
The non-vocalic stroke Sinhala **yansaya** symbolizes  $\omega$  when preceded by a pure consonant, e.g.: ක් +  $\omega$  = ක $\omega$ .  
The non-vocalic stroke Sinhala **rakaaraansaya** symbolises  $\sigma$  when preceded by a pure consonant, e.g.: ක් +  $\sigma$  = ක $\sigma$ . The **repaya** symbolises a  $\sigma$  preceding a consonant, e.g.: ක +  $\sigma$  + ම = කමී.
4. The vocalic stroke  $\text{ᵇᵇ}$  **diga gayanukitta** corresponding to the vowel  $\text{ඌ}$  is not presently used in Sinhala and is not considered further.

**TABLE 2 - Combination of the consonant ක (k) with vocalic strokes**

SI No. (1)	Character (2)	Phonetic Notation (3)
1	ක්	k
2	(ක් + අ) = ක	ka
3	(ක් + ආ) = කා	kaa
4	(ක් + ඇ) = කැ	kae
5	(ක් + ඈ) = කෑ	kaee
6	(ක් + ඉ) = කි	ki
7	(ක් + ඊ) = කී	kii
8	(ක් + උ) = කු	ku
9	(ක් + ඌ) = කූ	kuu
10	(ක් + ඍ) = කෘ	kr̥
11	(ක් + ඎ) = කෘෘ	kr̥r̥
12	(ක් + ඵ) = කෙ	ke
13	(ක් + ඵ්) = කේ	kee
14	(ක් + ඵඵ) = කෙඵ	kai
15	(ක් + ඵඵ්) = කො	ko
16	(ක් + ඵඵ්ඵ) = කෝ	koo
17	(ක් + ඵඵඵඵ) = කොඵ	kau

TABLE 3 - Combination of the consonant ක (k) with vocalic and non-vocalic strokes

SI No. (1)	Character (2)	Romanised Notation (3)	SI No. (1)	Character (2)	Romanised Notation (3)
1	කය	kya	9	ක්‍ර	kra
2	කයා	kyaa	10	ක්‍රා	kraa
3	කයු	kyu	11	ක්‍රූ	krae
4	කයූ	kyuu	12	ක්‍රූූ	kraee
5	කෙය	kye	13	ක්‍රී	kri
6	කෙය්	kyee	14	ක්‍රීූ	krii
7	කෙයා	kyo	15	ක්‍රො	kre
8	කෙය්	kyoo	16	ක්‍රෝ	kree
			17	ක්‍රොූ	krai
			18	ක්‍රොය	kro
			19	ක්‍රොය්	kroo
			20	ක්‍රොයා	krou

**NOTES :**

1. The yansaya is not used following the letter ජ. e.g.: the spelling කාරය is incorrect.
2. Not all combinations are valid with all consonants. e.g., the consonant ඩ is never combined with a vowel, but appears as ඩ්. However, we do not list all such cases.
3. The **repaya** is not included in this table.

**3.5.1 Repaya**

The repaya is an abbreviation for the letter ඊ preceding a consonant. Use of the repaya is optional. e.g.: කර්ම or කම් are both valid.

**3.5.2 Conjunct Letters (බැඳි අකුරු)**

A conjunct letter is formed by forming consonant cluster (e.g. ක් + ඡ = කඡ). A conjunct letter may be modified by vocalic strokes (e.g. කඡී). The strokes yansaya (ය) and rakaaraansaya (උ) are shortened forms of the letters ය and උ respectively, used when forming conjunct letters. These strokes may also be appended to a conjunct letter, e.g. කඡීය.

### 3.5.3 Touching Letters

Classical and Buddhist texts, in both the Sinhala and Pali languages, use the convention of representing a consonant cluster by omitting the al-lakuna and writing the consonants touching each other, e.g. කසස. This representation is similar, but not identical to, conjunct letters. Some pairs of letters may be written in all three forms (normal, “touching” and conjunct), e.g., ද්ධ, ධ and ධ.

### 3.5.4 Sinhala Numerals

Prior to the occupation of the Kandyan Kingdom by the British in 1815, Sinhala scribes had used the five sets of numerals listed below:

**Sinhala Illakkam:** This numeral set does not have a zero and had been commonly used to record numbers especially in the Royal Court. It has separate symbols for 10, 20, 30, 40, 50, 60, 70, 80, 100, 1000. Sinhala Illakkam are given in Figure 2.

**Sinhala Lith Illakkam:** This numeral set was widely used for calculations especially in Astrology and was continuously used well into the 20<sup>th</sup> century, mostly for depicting the positions of planets, in horoscopes. There is some evidence that this set was used for page numbering and it may have been commonly used for giving numbers in inscriptions. Lith Illakkam has a zero and zero place holder concept. For zero, the Sinhala al-lakuna, which is also known as Sinhala halanta is used in this set. Sinhala Lith Illakkam are given in Figure 1.

**Katapayadiya:** This is a special set of numerals which uses Sinhala letters. Each number is depicted by several Sinhala letters, and a word is made out of letters for a number.

**Swara:** These are Sinhala consonants with vowel modifiers. These were used primarily for page numbering of Ola leaves. But there is evidence that these were used for general numbering of items, but were not used in calculations.

**Bootha Anka or Samkaya:** Numbers are depicted by certain Sinhala nouns and a method of depicting numbers by words was used primarily by poets. This numbering system had come into Sinhala from Sanskrit and the same objects which were used for numbers in Sanskrit were used in Sinhala as well by employing equivalent Sinhala nouns.

Two of the above sets – Sinhala Lith Illakkam and Sinhala Illakkam - are encoded herein. Sinhala Lith Illakkam are shown in Figure 1 and Sinhala Illakkam are shown in Figure 2 below:




FIGURE 1- Sinhala Lith Illakkam

අ 1	ඌ 2	ඹ 3	ඹු 4
ඹෙ 5	ඹේ 6	ඹු 7	ඹු 8
ඹු 9	ඹෙ 10	ඹෙඹ 11	ඹෙඹු 12
ඹෙඹු 13	ඹෙඹු 14	ඹෙඹෙ 15	ඹෙඹේ 16
ඹෙඹු 17	ඹෙඹු 18	ඹෙඹු 19	ඹේ 20
ඹේ 30	ඹෙ 40	ඹේ 50	ඹු 60
ඹුඹ 70	ඹේ 80	ඹේ 90	ඹු 100
ඹුඹු 200	ඹුඹු 300	ඹුඹු 400	ඹුඹු 500
ඹුඹු 600	ඹුඹු 700	ඹුඹු 800	ඹුඹු 900
ඹු 1000			

FIGURE 2 - Sinhala Illakkam



## 4 CHARACTER ENCODING

The encoding of the Sinhala character set into 128 cells of a 16-bit code space is shown in Figure 3. This encoding uses hexadecimal codes in the range 0D80 to 0DFF and 32 cells of the Supplementary Multilingual Plane (SMP).

The table comprises codes for the semi-consonants (0D82-0D83), vowels (0D85-0D96), consonants (0D9A-0DC6), the al-lakuna (0DCA), vowel signs (0DCF-0DF3), Sinhala Numerals-Sinhala Lith Illakkam (0DE6-0DFF) and the punctuation mark - kundaliya (0DF4). Some vowel signs are composite characters which represent two or more vocalic strokes. However, each vowel sign corresponds to a vowel. The unused positions in the range shall not be used. Figure 4 comprises codes for Sinhala Illakkam (111E0 – 111FF).

Vowels, consonants and the punctuation mark are base characters, and may stand alone. The al-lakuna and vowel signs are combining characters, and follow the code of a consonant. The semi-consonants are combining characters, and follow a vowel, consonant, or vowel sign.

Descriptions of the codes are given in Table 4.

### NOTES:

1. *The Sinhala character encoding represented in Figure 3 and Figure 4 is compliant with ISO 10646 : 2011 and Unicode version 6.0. The Sinhala numerals which have gone through the encoding process will be published in a future version of Unicode.*

2. *Specific collation algorithms (not specified herein) are needed for sorting text stored using this character encoding.*

#### 4.1 Code for Sinhala punctuation

The code 0DF4 represents the **kundaliya**.

**NOTE :** *The kundaliya, which is a punctuation mark unique to Sinhala writing, is sometimes used to conclude a paragraph.*

#### 4.2 Codes for Non Printing Special Characters

The codes for zero-width joiner (ZWJ), which is used to form conjunct letters, and zero-width non-joiner (ZWNJ), are not listed in Figure 3, but have the values 200D and 200C respectively. The ZWNJ is not used in encoding Sinhala, but implementations should ignore any ZWNJ characters encountered when processing Sinhala text.

The non-breaking space character (NBSP) has the value 00A0.

The code for INV is not specified in this standard (see 5.12).

### 4.3 Codes reserved for future developments

Three codes each after the sets of vowels (0D97-0D99) and consonants (0DC7-0DC9) are left unassigned to accommodate future enhancements of the language.

## 5 CODE SEQUENCES

Each Sinhala letter (e.g., කේ) is represented by a sequence of characters given in Figure 3. A letter may be a vowel (e.g. ඒ), a consonant (e.g. ක), a consonant followed by an al-lakuna (i.e., a pure consonant) (e.g. ක්), a consonant with a vowel sign (e.g. කා), one of the above (except a pure consonant) followed by a semi-consonant (e.g. අ්), or a conjunct letter (e.g. ක්ෂ) optionally followed by an al-lakuna, vowel sign and/or a semi-consonant.

### 5.1 Vowels

Each vowel is represented by one character in the range 0D85-0D96.

e.g. අ = 0D85, ආ = 0D8D

**NOTE :** A vowel such as ආ should **not** be represented as a character sequence such as 0D85 0DCF.

### 5.2 Consonants

Each consonant is represented by one character in the range 0D9A – 0DC6.

e.g. ක = 0D9A, ක් = 0DA4

### 5.3 Pure Consonants

A pure consonant (i.e., without an implicit vowel) is represented by a two character sequence *cons* 0DCA (*cons* + <sup>p</sup>) where *cons* represents a consonant.

e.g. ක් = 0D9A 0DCA

### 5.4 Consonants with vowel signs

A consonant with a vowel sign is represented by a two character sequence *cons* + *vs* where *vs* represents a vowel sign.

e.g. කා = 0D9A 0DCF, කෞ = 0D9A 0DDE, කේ = 0D9A 0DDB

Although the al-lakuna and the paa-pillas take two forms, depending on the associated consonant, both forms are represented by the same code character.

e.g. ක් = 0D9A 0DCA, ට් = 0DA7 0DCA

ච් = 0DB1 0DD4, ක් = 0D9A 0DD4, ච් = 0DB1 0DD6, ක් = 0D9A 0DD6

	0D8	0D9	0DA	0DB	0DC	0DD	0DE	0DF
0		ඵ 0D90	ඵ 0DA0	ඵ 0DB0	ඵ 0DC0	ෆ 0DD0		
1		ඵ 0D91	ඵ 0DA1	ඵ 0DB1	ඵ 0DC1	ෆ 0DD1		
2	ෆ 0D82	ඵ 0D92	ඵ 0DA2		ඵ 0DC2	ෆ 0DD2		ෆaa 0DF2
3	ෆ 0D83	ඵ 0D93	ඵ 0DA3	ඵ 0DB3	ඵ 0DC3	ෆ 0DD3		ෆ 0DF3
4		ඵ 0D94	ඵ 0DA4	ඵ 0DB4	ඵ 0DC4	ෆ 0DD4		ෆ 0DF4
5	ඵ 0D85	ඵ 0D95	ඵ 0DA5	ඵ 0DB5	ඵ 0DC5			
6	ඵ 0D86	ඵ 0D96	ඵ 0DA6	ඵ 0DB6	ඵ 0DC6	ෆ 0DD6	ඵ 0DE6	
7	ඵ 0D87		ඵ 0DA7	ඵ 0DB7			ඵ 0DE7	
8	ඵ 0D88		ඵ 0DA8	ඵ 0DB8		ෆ 0DD8	ඵ 0DE8	
9	ඵ 0D89		ඵ 0DA9	ඵ 0DB9		ෆ 0DD9	ඵ 0DE9	
A	ඵ 0D8A	ඵ 0D9A	ඵ 0DAA	ඵ 0DBA	ඵ 0DCA	ෆ 0DDA	ඵ 0DEA	
B	ඵ 0D8B	ඵ 0D9B	ඵ 0DAB	ඵ 0DBB		ෆ 0DDB	ඵ 0DEB	
C	ඵ 0D8C	ඵ 0D9C	ඵ 0DAC			ෆ 0DDC	ඵ 0DEC	
D	ඵ 0D8D	ඵ 0D9D	ඵ 0DAD	ඵ 0DBD		ෆ 0DDD	ඵ 0DED	
E	ඵ 0D8E	ඵ 0D9E	ඵ 0DAE			ෆ 0DDE	ඵ 0DEE	
F	ඵ 0D8F	ඵ 0D9F	ඵ 0DAF		ෆ 0DDF	ෆ 0DDF	ඵ 0DEF	

FIGURE 3 - Encoding of Sinhala Characters, Numerals and other Symbols

	111E	111F
0		අකු 111F0
1	ඛ 111E1	ඛ 111F1
2	ඛ 111E2	ඛ 111F2
3	ඛ 111E3	ඛ 111F3
4	ඛ 111E4	ඛ 111F4
5	ඛ 111E5	
6	ඛ 111E6	
7	ඛ 111E7	
8	ඛ 111E8	
9	ඛ 111E9	
A	ඛ 111EA	
B	ඛ 111EB	
C	ඛ 111EC	
D	ඛ 111ED	
E	ඛ 111EE	
F	ඛ 111EF	

FIGURE 4 - Sinhala Illakkam

**TABLE 4 – Names of the Characters**

<b>Code (1)</b>	<b>Character (2)</b>	<b>Name (3)</b>
<b>Various signs</b>		
0D82	◌◌	Sinhala sign anusvaraya
0D83	◌ඃ	Sinhala sign visargaya
<b>Independent vowels</b>		
0D85	අ	Sinhala letter ayanna
0D86	ආ	Sinhala letter aayanna
0D87	ඇ	Sinhala letter aeyanna
0D88	ඈ	Sinhala letter aeeyanna
0D89	ඉ	Sinhala letter iyanna
0D8A	ඊ	Sinhala letter iiyanna
0D8B	උ	Sinhala letter uyanna
0D8C	ඌ	Sinhala letter uuyanna
0D8D	ඍ	Sinhala letter iruyanna
0D8E	ඎ	Sinhala letter iruuyanna
0D8F	ඏ	Sinhala letter iluyanna
0D90	ඐ	Sinhala letter iluuyanna
0D91	එ	Sinhala letter eyanna
0D92	ඒ	Sinhala letter eeyanna
0D93	ඓ	Sinhala letter aiyanna
0D94	ඔ	Sinhala letter oyanna
0D95	ඕ	Sinhala letter ooyanna
0D96	ඖ	Sinhala letter auyanna
<b>Consonants</b>		
0D9A	ක	Sinhala letter alpapraana kayanna
0D9B	ඛ	Sinhala letter mahaapraana kayanna
0D9C	ග	Sinhala letter alpapraana gayanna
0D9D	ඝ	Sinhala letter mahaapraana gayanna
0D9E	ඞ	Sinhala letter kantaja naasikyaya
0D9F	ඟ	Sinhala letter sanyaka gayanna
0DA0	ච	Sinhala letter alpapraana cayanna
0DA1	ඡ	Sinhala letter mahaapraana cayanna
0DA2	ඣ	Sinhala letter alpapraana jayanna
0DA3	ඤ	Sinhala letter mahaapraana jayanna
0DA4	ඦ	Sinhala letter taaluja naasikyaya
0DA5	ට	Sinhala letter taaluja sanyooga naaksikyaya
0DA6	ඨ	Sinhala letter sanyaka jayanna
0DA7	ඊ	Sinhala letter alpapraana ttayanna
0DA8	උ	Sinhala letter mahaapraana ttayanna
0DA9	ඌ	Sinhala letter alpapraana ddayanna
0DAA	ඍ	Sinhala letter mahaapraana ddayanna
0DAB	ඎ	Sinhala letter muurdhaja nayanna
0DAC	ඏ	Sinhala letter sanyaka ddayanna
0DAD	ඐ	Sinhala letter alpapraana tayanna
0DAE	එ	Sinhala letter mahaapraana tayanna
0DAF	ඒ	Sinhala letter alpapraana dayanna

**TABLE 4 – Names of the Characters (Concluded)**

<b>Code (1)</b>	<b>Character (2)</b>	<b>Name (3)</b>
0DB0	ඛ	Sinhala letter mahaapraana dayanna
0DB1	න	Sinhala letter dantaja nayanna
0DB3	ඳ	Sinhala letter sanyaka dayanna
0DB4	ඵ	Sinhala letter alpapraana payanna
0DB5	ඵ	Sinhala letter mahaapraana payanna
0DB6	ඛ	Sinhala letter alpapraana bayanna
0DB7	න	Sinhala letter mahaapraana bayanna
0DB8	ම	Sinhala letter mayanna
0DB9	ඹ	Sinhala letter amba bayanna
0DBA	ය	Sinhala letter yayanna
0DBB	ර	Sinhaya letter rayanna
0DBD	ඳ	Sinhala letter dantaja layanna
0DC0	ව	Sinhala letter vayanna
0DC1	ශ	Sinhala letter taaluja sayanna
0DC2	ඝ	Sinhala letter muurdhaja sayanna
0DC3	ස	Sinhala letter dantaja sayanna
0DC4	හ	Sinhala letter hayanna
0DC5	ඳ	Sinhala letter muurdhaja layanna
0DC6	ඟ	Sinhala letter fayanna
<b>Sign</b>		
0DCA	ඵ	Sinhala sign al-lakuna
<b>Dependent vowel signs</b>		
0DCF	ඟ	Sinhala vowel sign aela-pilla
0DD0	ඟ	Sinhala vowel sign ketti aeda-pilla
0DD1	ඟ	Sinhala vowel sign diga aeda-pilla
0DD2	ඟ	Sinhala vowel sign ketti is-pilla
0DD3	ඟ	Sinhala vowel sign diga is-pilla
0DD4	ඟ	Sinhala vowel sign ketti paa-pilla
0DD6	ඟ	Sinhala vowel sign diga paa-pilla
0DD8	ඟ	Sinhala vowel sign gaetta-pilla
0DD9	ඟ	Sinhala vowel sign kombuva
0DDA	ඟ	Sinhala vowel sign diga kombuva
0ddb	ඟ	Sinhala vowel sign kombu deka
<b>Two-part dependent vowel signs</b>		
0DDC	ඟ	Sinhala vowel sign kombuva haa aela-pilla
0DDD	ඟ	Sinhala vowel sign kombuva haa diga aela-pilla
0DDE	ඟ	Sinhala vowel sign kombuva haa gayanukitta
<b>Dependent vowel sign</b>		
0DDF	ඟ	Sinhala vowel sign gayanukitta

Code (1)	Character (2)	Name (3)
<b>Sinhala Lith Illakkam</b>		
0DE6	ඉ	Sinhala Lith Digit Zero
0DE7	එ	Sinhala Lith Digit One
0DE8	ඊ	Sinhala Lith Digit Two
0DE9	ඊ	Sinhala Lith Digit Three
0DEA	උ	Sinhala Lith Digit Four
0DEB	ඌ	Sinhala Lith Digit Five
0DEC	ඍ	Sinhala Lith Digit Six (Akma)
0DED	ඎ	Sinhala Lith Digit Seven
0DEE	ඏ	Sinhala Lith Digit Eight
0DEF	ඐ	Sinhala Lith Digit Nine
<b>Additional dependent vowel signs</b>		
0DF2	ඌආ	Sinhala vowel sign diga gaetta-pilla
0DF3	ඌආ	Sinhala vowel sign diga gayanukitta
<b>Punctuations</b>		
0DF4	කුඩා	Sinhala punctuation kundaliya
<b>Sinhala Illakkam (Historical Digits and Numbers)</b>		
111E1	එ	Sinhala Archaic Digit One
111E2	ඌ	Sinhala Archaic Digit Two
111E3	ඌ	Sinhala Archaic Digit Three
111E4	ඌ	Sinhala Archaic Digit Four
111E5	ඌ	Sinhala Archaic Digit Five
111E6	එ	Sinhala Archaic Digit Six
111E7	ඌ	Sinhala Archaic Digit Seven
111E8	ඌ	Sinhala Archaic Digit Eight
111E9	ඌ	Sinhala Archaic Digit Nine
111EA	එ	Sinhala Archaic Number Ten
111EB	එ	Sinhala Archaic Number Twenty
111EC	එ	Sinhala Archaic Number Thirty
111ED	එ	Sinhala Archaic Number Forty
111EE	එ	Sinhala Archaic Number Fifty
111EF	එ	Sinhala Archaic Number Sixty
111F0	එ	Sinhala Archaic Number Seventy
111F1	එ	Sinhala Archaic Number Eighty
111F2	එ	Sinhala Archaic Number Ninety
111F3	එ	Sinhala Archaic Number Hundred
111F4	එ	Sinhala Archaic Number Thousand
<b>Other Symbols (Rakaaraansaya, Yansaya and Repaya)</b>		
0DCA 200D 0DBB	ඌ	Rakaaraansaya
0DCA 200D 0DBA	ඌ	Yansaya
0DBB 0DCA 200D	ඌ	Repaya

### 5.5 Non-standard letters

The following letters are represented as shown:

$\alpha = 0DBB\ 0DD0$ ,  $\alpha = 0DBB\ 0DD1$   
 $\alpha_{\bar{r}} = 0DBB\ 0DD4$ ,  $\alpha_{\bar{r}} = 0DDB\ 0DD6$   
 $\alpha = 0DC5\ 0DD4$ ,  $\alpha_{\bar{r}} = 0DC5\ 0DD6$

### 5.6 Differentiating Sinhala numerals from Sinhala characters

Font developers are encouraged to draw a line across Sinhala Lith Illakkam digits which are specified below to differentiate these from Sinhala characters which are similar to the digits of Sinhala Lith Illakkam:

Number	Lith Illakkam without line across	Glyph with the line drawn across
Zero	ඒ	Not applicable.
One	ඈ	Not applicable
Two	ඉ	Not applicable
Three	ඊ	Not applicable.
Four	උ	උ
Five	ඌ	ඌ
Six	ඍ	Not applicable.
Seven	ඎ	ඎ
Eight	ඏ	ඏ
Nine	ඐ	Not applicable.

Figure 5 - Differentiating Sinhala numerals from Sinhala characters



**NOTES :**

1. *These are only the internal representations and not the keyboard sequences.*
2. *The representation of a letter such as කෝ by a consonant character (ක) followed by several vowel sign characters ( ෙ + ො + ෝ ) is permitted in Unicode, but is discouraged in this standard. This standard recommends the use of a single composite vowel sign character following a consonant in such cases (e.g. ක + ෝෞ ).*
3. *This standard does not specify a method of displaying the vocalic strokes of certain letters such as කු, ඞ and ඈ without their associated consonant symbols.*

**5.7 Semi-consonant signs**

An *anusvaraya* ( ො ) or *visargaya* ( ෝ ) sign may follow a vowel, a consonant or a vowel sign.  
 e.g. අ ො = 0D85 0D82 (අ + ො), අ ෝ = 0D85 0D83 (අ + ෝ)  
 ක ො = 0D9A 0D82 (ක + ො), කෝ ො = 0D9A 0DDD 0D82 (ක + ෝෞ + ො),  
 කෞ ෝ = 0D9A 0DD4 0D83 (ක + ොෞ + ෝ)

**NOTE :** *A semi-consonant, if present, is always the last character in a combining character sequence.*

**5.8 Rakaaraansaya and Yansaya**

The rakaaraansaya and yansaya are forms of **conjunct letters**.

The rakaaraansaya ේ represents a ජ which follows a pure consonant. It can, in turn, be followed by a vowel sign. It is joined to the preceding letter by a zero-width joiner (zwj).

A rakaaraansaya is represented by the character sequence *cons* 0DCA 200D 0DBB (*cons* + ෝ + zwj + ජ) where *cons* represents some consonant.

e.g.: කු ේ = 0D9A 0DCA 200D 0DBB (ක + ෝ + zwj + ජ),  
 ෝකු ේ = 0D9A 0DCA 200D 0DBB 0DD9 (ක + ෝ + zwj + ජ + ෝ)

Similarly the yansaya ෝෞ represents a ෝෞ which follows a pure consonant.

e.g. කෞ ෝෞ = 0D9A 0DCA 200D 0DBA (ක + ෝෞ + zwj + ෝෞ)  
 ෝකෞ ෝෞ = 0D9A 0DCA 200D 0DBA 0DDD (ක + ෝෞ + zwj + ෝෞ + ෝෞ)

**NOTES :**

1. *As the ේ and ෝෞ are present on the keyboard, users will not need to key in the above sequences (see 6).*
2. *The yansaya and rakaaraansaya are required in normal Sinhala text. However, if for some reason, it is desired not to use the rakaaraansaya or yansaya, the zwj should be omitted.*

## 5.9 Repaya

The repaya  $\text{ᵇ}$  represents the letter  $\text{ᵇ}$  preceding a consonant. It is represented by the sequence 0DBB 0DCA 200D *cons* ( $\text{ᵇ} + \text{ᵇ} + \text{zwj} + \text{cons}$ ).

e.g.  $\text{කᵇ} = 0D9A 0DBB 0DCA 200D 0DB8 (\text{ක} + \text{ᵇ} + \text{zwj} + \text{ᵇ})$

A ya followed by a yansaya with a repaya (in words such as  $\text{කායාᵇ}$ ) is represented by the code sequence 0DBB 0DCA 200D 0DBA 0DCA 200D 0DBA ( $\text{ᵇ} + \text{ᵇ} + \text{zwj} + \text{ᵇ} + \text{ᵇ} + \text{zwj} + \text{ᵇ}$ ).

**NOTE :** *As the repaya appears on the keyboard, users will not need to key in the above sequences.*

## 5.10 Other conjunct letters (බැඳි අකුරු)

Conjunct letters are represented by the sequence *cons* 0DCA 200D *cons* (*cons* +  $\text{ᵇ} + \text{zwj} + \text{cons}$ ). The second consonant may optionally be followed by a vowel sign.

e.g.  $\text{ඤ} = 0DB1 0DCA 200D 0DAF (\text{ඤ} + \text{ᵇ} + \text{zwj} + \text{ඤ})$ ,

$\text{ඤᵇ} = 0D9A 0DCA 200D 0DC2 0DDA (\text{ඤ} + \text{ᵇ} + \text{zwj} + \text{ඤ} + \text{ᵇ})$

Conjunct letters may be further joined by a rakaaraansaya or yansaya.

e.g.  $\text{ඤᵇ} = 0DB1 0DCA 200D 0DAF 0DCA 200D 0DBB 0DCF$

$(\text{ඤ} + \text{ᵇ} + \text{zwj} + \text{ඤ} + \text{ᵇ} + \text{zwj} + \text{ᵇ} + \text{ᵇ})$

## 5.11 Touching letters

A pure consonant written touching the following letter instead of using an al-lakuna, used in classical and Buddhist texts, is represented by the sequence *cons* 200D 0DCA *cons*.

e.g.  $\text{ඤඤ} = 0DC3 200D 0DCA 0DC3 (\text{ඤ} + \text{zwj} + \text{ᵇ} + \text{ඤ})$

## 5.12 Stand-alone signs

A vowel sign without an associated consonant may be displayed by preceding it with an INV character. e.g.  $\text{ᵇ} = \text{INV } 0DCF (\text{INV} + \text{ᵇ})$ ,  $\text{ᵇ} = \text{INV } 0DD9 (\text{INV} + \text{ᵇ})$ . The INV character should not have any width when combining with a pre-base or .post-base sign, and should have a default width when combining with an above- or below-base sign.

A stand-alone yansaya is represented by the sequence INV 0DCA 200D 0DBA ( $\text{INV} + \text{ᵇ} + \text{zwj} + \text{ᵇ}$ ). A stand-alone rakaaraansaya is represented similarly.

A stand-alone repaya is represented by the sequence 0DBB 0DCA 200D INV ( $\text{ᵇ} + \text{ᵇ} + \text{zwj} + \text{INV}$ ).

The code for the INV character is not defined in this standard, as it is still under consideration by Unicode. Until such time such a code is included in Unicode, implementers may use the non-break space (NBSP) character (code 00A0) as the INV character, keeping in mind that this may change.

## 6 KEYBOARD INPUT

Text encoded as specified in this standard may be input to a computer system in many ways, e.g., text recognition, 10-key keypad, etc. However, much text is input using standard computer keyboards (e.g., 101-key). This section provides guidelines on how Sinhala text may be entered using such a keyboard.

Each Sinhala letter, such as ක්‍රි (represented by a character sequence) is input by a sequence of keys on the keyboard. Thus there is a many-to-many relation between keys and characters.

The set of symbols which appear on the keyboard, and the key sequences to generate each letter, are independent of the mapping of symbols to keys. The same key sequences may be used by several keyboard layouts.

This section specifies the recommended key sequences for generating Sinhala characters on a standard computer keyboard. The recommended keyboard layout, based on the Wijesekara keyboard, is specified in 7.

Key sequences are defined on the principle “type as you write”. Each symbol is typed in the order it is written in, which may be different from the encoding sequence or the display order.

**NOTE :** *This standard does not specify the symbols which are displayed during the intermediate stages in the construction and deletion of letters.*

### 6.1 Keyboard Symbols

A Sinhala keyboard should have the following symbols, which may be assigned to keys in suitable ways. Each physical key may have several symbols assigned to it, one for each shift-state. Generally, only the symbols of the unshifted and the normal shift states will be printed on the keyboard.

Keys should be assigned to the following:

#### a) Consonants

ක බ ග ස ඩ හ  
 ච ඡ ජ ඣ ඤ ඥ ඦ ට  
 ට ඨ ඩ ධ ණ ඬ  
 න ඌ ද ධ න ද  
 ප ඵ බ හ ම ශ  
 ය ර ල ව ශ ෂ  
 ස හ ළ ෆ

#### b) Vowels

අ ඉ ඊ උ ඍ ඞ ජ and ඔ

**NOTES :**

1. Other vowels are produced by a key sequence.
2. The  $\text{e}$  symbol need not be printed on the keyboard, but it is keyed using a shift state.

**c) Vocalic Strokes**

Vocalic strokes comprise the leading vowel sign: kombuwa (  $\text{e}$  ), and the trailing vowel signs: aela-pilla (  $\text{a}$  ), keti aeda-pilla (  $\text{i}$  ), diga aeda-pilla (  $\text{u}$  ), keti is-pilla (  $\text{e}$  ), diga is-pilla (  $\text{o}$  ), keti paa-pilla (  $\text{a}$  ), diga paa-pilla (  $\text{u}$  ), gaeta-pilla (  $\text{a}$  ) and gayanukitta (  $\text{e}$  ).

**NOTE :** Composite vowel signs are entered as a sequence of two or more keys.

**d) Other Symbols**

The al-lakuna: (  $\text{p}$  ), semi-consonants: anusvaraya (  $\text{o}$  ) and visargaya (  $\text{o}$  ), non-vocalic strokes: yansaya (  $\text{a}$  ), rakaaraansaya (  $\text{u}$  ) and repaya (  $\text{a}$  ), punctuation: kundaliya (  $\text{a}$  ), the letter muurdhaja lu (  $\text{e}$  ), the non-breaking space: used to enter intra-word space e.g., in  $\text{a}$ , and keys for non-Sinhala symbols such as numerals, punctuation marks and standard symbols.

**NOTES :**

1. Although the **al-lakuna** takes two forms, (e.g.  $\text{a}$  and  $\text{e}$ ) they are both entered using the same key.
2. As the letter  $\text{e}$  has a non-standard form, it is assigned a key for user convenience.

**6.2 Special Keys**

The following special keys are specified. The sanyakaya may be used to generate “sanyaka” letters such as  $\text{a}$  and  $\text{e}$  in conjunction with letters such as  $\text{a}$  and  $\text{e}$ . The join key is used to join two letters to form conjunct letters such as  $\text{a}$ . The touch key is used to bring two letters together to form “touching” letters, e.g.,  $\text{a}$ . The inv key is used to produce an invisible base character.

**NOTES :**

1. Keys are also directly assigned to the symbols  $\text{a}$ ,  $\text{e}$  etc.
2. An implementer may assign a key for the zero-width joiner character, although it is not required to enter Sinhala text.

**6.3 Key sequences**

Each letter is entered by one or more key sequences as follows:

**a) Consonants**

A consonant is entered with a single key.

e.g. ක ම ක්ක, භ

**b) Vowels**

A vowel is entered with 1 or 2 keys.

අ  
 අ + ො = අා  
 අ + ෝ = අඳ  
 අ + ෞ = අඳ  
 ඉ  
 ඊ  
 උ  
 උ + ො = උා  
 ඞා  
 ඞා + ො = ඞාා  
 ඵ  
 ඵ + ො = ඵා  
 ෝ + ඵ = ෝඵ  
 ෞ  
 ෞ + ො = ෞා  
 ෞ + ො = ෞා

**c) Pure consonants**

A pure consonant is entered with 2 keys: *cons* + al-lakuna.

e.g. ක + ො = ක්, ම + ො = ම්

**NOTE :** *The same key is used for both types of al-lakuna.*

**d) Vowel signs**

The aela-pilla is entered with 1 key: *cons* + aelapilla.

e.g. ක + ො = කා, ද + ො = දා

The aeda-pili are entered with 1 key: *cons* + keti aeda-pilla, *cons* + diga aedapilla.

e.g. ක + ෝ = කඳ, ක + ෞ = කඳ

The is-pili are entered with 1 key: *cons* + keti ispilla, *cons* + diga ispilla.

e.g. ක + ො = කී, ක + ො = කී

The paa-pili are entered with 1 key: *cons* + diga paapilla, *cons* + keti paapilla.

e.g. ප + ො = පා, ප + ො = පා

The gaeta-pili are entered with 1 or 2 keys: *cons* + gaetapilla, *cons* + gaetapilla + gaetapilla.

e.g. ග + ො = ගා, ග + ො + ො = ගාා

The kombuva is entered with 1 key, before the consonant: kombuva + *cons*.

e.g. ෝ + ක = කෙ

The diga-kombuva is entered with 2 keys, before and after the consonant: kombuva + *cons*

+ al-lakuna. e.g. ෝ + ක + ො = කේ, ෝ + ම + ො = මේ

The kombu-deka is entered with 2 keys, before the consonant: kombuva + kombuva +

*cons*. e.g. ෝ + ෝ + ක = කෙක

The kombuva haa aela-pilla is entered with 2 keys before and after the consonant: kombuwa + cons + aelapilla. e.g.  $\text{◌} + \text{ක} + \text{◌} = \text{කො}$

The kombuva haa diga aela-pilla is entered with 3 keys before and after the consonant: kombuwa + cons + aelapilla + al-lakuna. e.g.  $\text{◌} + \text{ක} + \text{◌} + \text{◌} = \text{කෝ}$

The kombuva haa gayanukitta is entered with 2 keys before and after the consonant: kombuwa + cons + gayanukitta. e.g.  $\text{◌} + \text{ක} + \text{◌} = \text{කො}$

#### NOTES :

1. There are no special keys for  $\alpha$  and  $\alpha$ , e.g.:  $\text{◌} + \text{◌} = \alpha$ ,  $\text{◌} + \text{◌} = \alpha$
2. The kombuva key is pressed before the consonant, in writing order.
3. The paa-pili for ක භ ඉ, etc. are entered using the same keys as for the other letters.  
e.g.: ක + ◌ = ක
4. The character ඵ is assigned to a key. However it can also be entered as  
 $\text{◌} + \text{◌} = \text{ඵ}$ .
5. The character ඵ may be keyed as either  $\text{◌} + \text{◌} = \text{ඵ}$  (logical sequence) or  
 $\text{◌} + \text{◌} = \text{ඵ}$  (visual sequence).
6. The characters  $\alpha$  and  $\alpha$  are entered as  $\text{◌} + \text{◌}$  and  $\text{◌} + \text{◌}$  respectively.
7. There is no key for the sign ◌aa, it is entered by pressing the ◌a key twice.

#### e) Semi-consonants

The signs ◌ and ◌ are keyed following a consonant or vowel sign. They will always be the last key of a key sequence.

### 6.4 Conjunct letters

#### a) Rakaaraansaya (◌)

This symbol will normally be entered using the rakaaraansaya key.

e.g.: ක + ◌ = ක

Vowel signs, as shown in Table 3, may be keyed following the rakaaraansaya. However, the kombuva is keyed preceding the base letter. The ispilla may be keyed either before or after the rakaaraansaya, to conform with the practice in writing.

e.g.  $\text{◌} + \text{◌} = \text{◌}$ ,  $\text{◌} + \text{◌} + \text{◌} = \text{◌}$ ,  $\text{◌} + \text{◌} + \text{◌} = \text{◌}$ ,  $\text{◌} + \text{◌} + \text{◌} = \text{◌}$ ,  
 $\text{◌} + \text{◌} + \text{◌} = \text{◌}$ ,  $\text{◌} + \text{◌} + \text{◌} = \text{◌}$

The following alternative sequences are also valid:

e.g.  $\text{◌} + \text{◌} + \text{◌} = \text{◌}$ ,  $\text{◌} + \text{◌} + \text{◌} = \text{◌}$

**NOTE :** Sequences other than those shown in Table 3, such as  $\text{◌} + \text{◌} + \text{◌}$  and  $\text{◌} + \text{◌} + \text{◌}$  are not used with the rakaaraansaya, but keying them in should be allowed.

#### b) Yansaya (◌)

This symbol will normally be entered using the yansaya key. e.g. ක + ◌ = ක

The yansaya may be combined with vowel signs, as shown in Table 3.

e.g. ක + ◌ + ◌ = ක,  $\text{◌} + \text{ක} + \text{◌} = \text{කො}$ .

Sequences other than those shown in Table 3 are not used with the yansaya, but keying them in should be allowed.

### c) Repaya

The repaya symbol is keyed in following a consonant, i.e., the writing sequence.

e.g. ක + ෙ = කී

### d) Other conjunct letters (බැඳි අකුරු)

Conjunct letters are generated by pressing the first consonant, the "join" key and the 2<sup>nd</sup> consonant. The al-lakuna is not typed.

e.g.: ක + join + ෂ = කෂ, ක + join + ෂ + ො = කෂා

‍ෙ + ක + join + ෂ + ො + ෝ = ‍ෙකෂා

## 6.5 Other

### a) Sanyaka letters

The sanyaka letters ද භ ඩ ජ may be generated by the keys ද භ ඩ ජ respectively, followed by the sanyakaya key. This is an optional feature, as the sanyaka letters may also be entered directly.

### b) Touching letters

Touching letters are entered by pressing the first consonant, the “touch” key, and the 2<sup>nd</sup> consonant, e.g., ස + touch + ස = සෂ

### c) Stand-alone signs

Stand-alone vowel signs are keyed using the “inv” key (◌) followed or preceded by the desired vowel signs or other symbol.

The sequence ya yansaya repaya (as in ආයතනී) is entered by the following key sequence -

ය + ෝ + ෙ

### d). Sinhala Numerals

Unshifted state number keys are reserved for standard Arabic numerals.

Alt-Gr state with corresponding numbers keys are reserved for Sinhala Lith Illakkam.

Shifted Alt-Gr state with number keys and keys ‘q’, ‘w’, ‘e’, ‘r’, ‘t’, ‘y’, ‘u’, ‘i’, ‘o’, ‘p’, ‘a’, ‘s’ are allocated for Sinhala Illakkam (please refer sections 7.1 and 7.2).

## 7 KEYBOARD LAYOUT

The keyboard symbols specified in 6 are mapped to a keyboard by the keyboard layout given in Figure 6. It is a modification of the layout in SLS 1134 : 2001 which in turn was based on the Wijesekara keyboard.

### 7.1 Keys

A standard computer keyboard has 48 assignable keys on the main keyboard. Each physical key on a standard computer keyboard can be assigned to up to 4 symbols, for the following shift states:

Unshifted  
Shifted  
alt-gr (ctrl-alt)  
shift alt-gr (Shift ctrl-alt)

Therefore a total of  $48 \times 4 = 192$  keys are available for use. The symbols defined in 6 are assigned to the Unshifted and Shifted states of the keys as shown in Figure 5.

**NOTE** *Alt- Gr state used with corresponding number keys is available for Sinhala Lith Illakkam (0-9). Shift Alt- Gr state with corresponding number keys is available for 1-9 of Sinhala Illakkam and 0 is left unallocated. Shift Alt-Gr state with keys starting from ‘Q’ to ‘O’ (Nine keys) are available for input of Sinhala Illakkam 10,20,30,40,50,60,70,80,90 respectively. Shift Alt-Gr state of ‘a’ and ‘s’ are allocated for 100 and 1000 of Sinhala Illakkam.*

### 7.2 Keyboard Layout

The layout of the keyboard is shown in Figure 6.

**Table 5 – Special keys and symbols**

Symbols Used	Additional keys (not shown on keyboard)	Infrequently Used Symbols
ට් = yansaya ට් = rakaaraansaya ට් = repaya ≡ = joins adjacent letters The shifted form of this key produces “touching” letters	ට් = alt-gr-ට් (alt-gr-o) ට් = alt-gr-ට් (alt-gr-.) ට් = alt-gr-ට් (alt-gr-v) ට් = alt-gr-ට් (alt-gr-c) ට් = alt-gr- ට් (alt-gr-x) non-breaking space = shift-space ට් (invisible) = alt-gr-space	ට් = alt-gr-ට් <b>Sinhala Lith Illakkam:</b> ට් = alt-gr-1 ට් = alt-gr-2 ට් = alt-gr-3 ට් = alt-gr-4 ට් = alt-gr-5 ට් = alt-gr-6 ට් = alt-gr-7 ට් = alt-gr-8 ට් = alt-gr-9 † = alt-gr-0



		<p><b>Sinhala Illakkam:</b>      ො = Shift-alt-gr-1      ෝ = Shift-alt-gr-2      ෞ = Shift-alt-gr-3      ෟ = Shift-alt-gr-4      ෠ = Shift-alt-gr-5      ෡ = Shift-alt-gr-6      ෢ = Shift-alt-gr-7      ෣ = Shift-alt-gr-8      ෤ = Shift-alt-gr-9      10 (ක) = Shift-alt -gr -Q      20 (ඃ) = shift-alt-gr- W      30 (඄) = shift-alt-gr- E      40 (ක) = shift-alt-gr- R      50 (ඞ) = shift-alt-gr- T      60 (ඟ) = shift-alt-gr- Y      70 (ඝක) = Shift-alt-gr-U      80 (ඞ) = Shift-alt-gr-I      90 (ඞ) = Shift-alt-gr-O      100 (ඟ) = Shift-alt-gr-A      1000( ඟ) = Shift-alt-grs -S</p> <p>ඟ = alt-gr-<sup>ˆ</sup> (alt-gr-a)      ෞ = alt-gr-<sup>ˆ</sup> (alt-gr-')</p> <p><b>Optional</b>      sanyakaya = alt-gr-z</p>
--	--	--

**NOTE :** The marks for strokes such as , ෞ , <sup>ˆ</sup> , ෞ and ෞ in the keyboard layout also stand for other equivalent strokes whose shapes vary according to the associated consonant. Please see 5.4 for details.

~ ඹ ෆ	! 1	@ 2	# 3	\$ 4	% 5	^ 6	& 7	* 8	( 9	) 0	- _	+ =	Bk Space	
Tab	Q ඉ ඉෆ	W උ උආ	E ඌ ඌආ	R ඍ ඍආ	T ඎ ඎආ	Y ඏ ඏආ	U ඐ ඐආ	I එ එආ	O ඒ ඒආ	P උ උආ	{ ඌ ඌආ	}	:   ;	↔
Lock	A ඉ ඉආ	S උ උආ	D ඌ ඌආ	F ඍ ඍආ	G ඎ ඎආ	H ඏ ඏආ	J ඐ ඐආ	K එ එආ	L ඒ ඒආ	:	උ ;	" ,	Enter	
Shift	Z ඉ ඉආ	X උ උආ	C ඌ ඌආ	V ඍ ඍආ	B ඎ ඎආ	N ඏ ඏආ	M ඐ ඐආ	< ඒ ඒආ	> උ උආ	/ ?	Shift			
Space														

FIGURE 6–Standard Keyboard Layout

### ***SLS CERTIFICATION MARK***

*The Sri Lanka Standards Institution is the owner of the registered certification mark shown below. Beneath the mark, the number of the Sri Lanka Standard relevant to the product is indicated. This mark may be used only by those who have obtained permits under the SLS certification mark scheme. The presence of this mark on or in relation to a product conveys the assurance that they have been produced to comply with the requirements of the relevant Sri Lanka Standard under a well designed system of quality control inspection and testing operated by the manufacturer and supervised by **SLSI** which includes surveillance inspection of the factory, testing of both factory and market samples.*

*Further particulars of the terms and conditions of the permit may be obtained from the Sri Lanka Standards Institution, 17, Victoria Place, Elvitigala Mawatha, Colombo 08.*



The Sri Lanka Standards Institution (SLSI) is the National Standards Organization of Sri Lanka established under the Sri Lanka Standards Institution Act No. 6 of 1984 which repealed and replaced the Bureau of Ceylon Standards Act No. 38 of 1964. The Institution functions under the Ministry of Technology and Research.

The principal objects of the Institution as set out in the Act are to prepare standards and promote their adoption, to provide facilities for the examination and testing of products, to operate a Certification Marks Scheme, to certify the quality of products meant for local consumption or exports and to promote the standardization and quality control by educational, consultancy and research activity.

The Institution is financed by Government grants, and by the income from the sale of its publications and other services offered for Industry and the Business Sector. Financial and administrative control is vested in a Council appointed in accordance with the provisions of the Act.

The development and formulation of National Standards is carried out by Technical Experts and representatives of other interest groups, assisted by the permanent officers of the Institution. These Technical Committees are appointed under the purview of the Sectoral Committees which in turn are appointed by the Council. The Sectoral Committees give the final Technical approval for the Draft National Standards prior to the approval of the Council of the SLSI.

All members of the Technical and Sectoral Committees render their services in an honorary capacity. In this process the Institution endeavors to ensure adequate representation of all view points.

In the International field the Institution represents Sri Lanka in the International Organization for Standardization (ISO), and participates in such fields of standardization as are of special interest to Sri Lanka.

---

Printed at the Sri Lanka Standards Institution, 17, Victoria Place, Elvitigala Mawatha, Colombo 08.