SRI LANKA STANDARD 869: 1989

UDC 665.93:678.74

SPECIFICATION FOR POLYVINYL ACETATE (PVA) BASED ADHESIVES

SRI LANKA STANDARDS INSTITUTION

SLS 869:1989

Gr.6

Copyright Reserved

SRI LANKA STANDARDS INSTITUTION

53, Dharmapala Mawatha,

Colombo 3,

Sri Lanka.

SPECIFICATION FOR POLYVINYL ACETATE (PVA) BASED ADHESIVES

FOREWORD

This Sri Lanka Standard was authorized for adoption and publication by the Council of the Sri Lanka Standards Institution on 1989-12-14, after the draft, finalized by the Drafting Committee on Paints and Varnishes, had been approved by the Chemicals Divisional Committee.

Provision has been made in this specification for working consistency of the product and packaging to be as agreed to between the purchaser and the supplier.

All standard values given in this specification are in SI units.

For the purpose of deciding whether a particular requirement of this specification is complied with, the final value, observed or calculated, expressing the result of a test or an analysis shall be rounded off in accordance with CS 102. The number of significant places retained in the rounded off value shall be the same as that of the specified value in this specification.

In the preparation of this standard, assistance derived from the relevant publications of the British Standards Institution, the Bureau of Indian Standards and the American Society for Testing and Materials is gratefully acknowledged.

1 SCOPE

This specification prescribes the requirements, methods of sampling and test, for thermoplastic synthetic emulsion adhesives based on polyvinyl acetate (PVA) dispersions for use as a general purpose adhesive and bonding agent.

2 REFERENCES

- CS 102 Presentation of numerical values.
- SLS 428 Random sampling methods.
- SLS 489 Glossary of terms for paints.
- SLS 535 Tests for paints
 - Part 1: Tests on liquid paints (excluding chemicals tests).
- SLS 538 Synthetic emulsion resin binders for paints.
- SLS 660 General purpose adhesives.