

SRI LANKA STANDARD 1234 Part 2 : 2002
ISO 13938 - 2 : 1999

SRI LANKA STANDARD
BURSTING PROPERTIES OF FABRICS
PART 2: PNEUMATIC METHOD FOR
DETERMINATION OF BURSTING
STRENGTH AND BURSTING DISTENSION

SRI LANKA STANDARDS INSTITUTION

SRI LANKA STANDARD
BURSTING PROPERTIES OF FABRICS
PART 2: PNEUMATIC METHOD FOR DETERMINATION OF
BURSTING STRENGTH AND BURSTING DISTENSION

SLS 1234 Part 2 : 2002
ISO 13938 - 2 : 1999

Gr. D

SRI LANKA STANDARDS INSTITUTION
17 Victoria Place
Elvitigala Mawatha
Colombo 08
SRI LANKA.

SLS 1234 Part 2: 2002
ISO 13938 - 2 : 1999

SRI LANKA STANDARD
BURSTING PROPERTIES OF FABRICS
PART 2: PNEUMATIC METHOD FOR DETERMINATION OF
BURSTING STRENGTH AND BURSTING DISTENSION

NATIONAL FOREWORD

This standard was approved by the Sectoral Committee on Textiles, Clothing and Leather and was authorized for adoption and publication as a Sri Lanka Standard by the Council of the Sri Lanka Standards Institution on 2002-06-03.

This Sri Lanka standard is identical with ISO 13938-2:1999, hydraulic method for determination of bursting strength and bursting distension published in 1999 by the International Organization for Standardization (ISO).

TERMINOLOGY AND CONVENTIONS

The text of the international standard has been accepted as suitable for publication, without deviation, as a Sri Lanka Standard. However certain terminology and conversions are not identical with those used in Sri Lanka Standards, attention is therefore drawn to the following:

- a) Wherever the words “International Standard/Publication” appear referring to this standard they should be interpreted as “Sri Lanka Standard”.
- b) The comma has been used throughout as a decimal marker. In Sri Lanka Standards it is the current practice to use a full point at the base as the decimal marker. When ever page numbers are quoted, they are ISO page numbers.

Textiles — Bursting properties of fabrics —

Part 2:

**Pneumatic method for determination of
bursting strength and bursting distension**

Textiles — Propriétés de résistance à l'éclatement des étoffes —

*Partie 2: Méthode pneumatique pour la détermination de la résistance et
de la déformation à l'éclatement*

